



2017

## The Influence of Group Dynamics on Eating Disorders

Follow this and additional works at: <https://scholarsarchive.byu.edu/intuition>



Part of the [Psychology Commons](#)

---

### Recommended Citation

(2017) "The Influence of Group Dynamics on Eating Disorders," *Intuition: The BYU Undergraduate Journal of Psychology*. Vol. 12 : Iss. 1 , Article 4.

Available at: <https://scholarsarchive.byu.edu/intuition/vol12/iss1/4>

This Article is brought to you for free and open access by the Journals at BYU ScholarsArchive. It has been accepted for inclusion in *Intuition: The BYU Undergraduate Journal of Psychology* by an authorized editor of BYU ScholarsArchive. For more information, please contact [scholarsarchive@byu.edu](mailto:scholarsarchive@byu.edu), [ellen\\_amatangelo@byu.edu](mailto:ellen_amatangelo@byu.edu).

# The Influence of Group Dynamics on Eating Disorders

Natalie Robbins  
*Brigham Young University*

## **Abstract:**

Eating disorders can have a devastating effect on individuals both physically and psychologically. For this reason, it is important to understand diverse factors, including group dynamics, that affect the development of eating disorders. I examined the influence of group dynamics on whether eating disorders are viewed as acceptable. Further understanding of social influence may enhance the prevention of eating disorders.

Keywords: eating disorders, anorexia nervosa, bulimia, binge eating, group dynamics, groupthink, in-groups, out-groups

*Intuition: The BYU Undergraduate Journal of Psychology*

## GROUP DYNAMICS AND EATING DISORDERS

### **Formation**

At a time when obesity is more common than ever before, the simultaneous preoccupation with pencil-thin bodies may be understandable (Ogden, Carroll, Kit, & Flegel, 2012). Eating disorders are associated with physical, such as anemia, constipation, and osteoporosis, and are often accompanied by mental disorders, such as depression, anxiety disorders, and substance abuse (American Psychological Association, 2011). Eating disorders develop from several factors ("Eating Disorders," 2011). In particular, group interactions may be a key factor in the reinforcement of destructive eating patterns (Day & Keys, 2008).

Consequently, changing negative group dynamics might prevent the development of eating disorders. For example, Marcos, Sebastian, Aubalat, Ausina, and Treasure (2013) argued that harmful role models may promote the development of such disorders, and Kao, Rogers, Spitzmueller, Lin, & Lin (2014) urged that educational efforts led by positive mentors could reduce the prevalence of eating disorders.

### **Factors in the Development of Eating Disorders**

Environmental and biological factors influence the

## GROUP DYNAMICS AND EATING DISORDERS

development of eating disorders. Easter (2011) focused on the influence of genes, emphasizing the genetic predisposition to mental disorders, including addictions, as part of a “complex causal eating model” (p. 23). Other factors in the model included culture, gender, family, and personality.

Similarly, Fay and Lerner (2013) found that individuals with a higher likelihood of eating pathology and body dissatisfaction tended to be female, perceived themselves as overweight, had higher-than-average actual body weights, and experienced lower self-esteem. The authors reported that long-term participation in sports in general had no effect on the likelihood of eating disorders. Anderson, Petrie, Reel, and SooHoo (2013) studied body-weight pressures in female athletes and found that sports, such as gymnastics, presented a “greater risk due to a heightened focus on appearance as it relates to performance success” (p. 138).

### **Group Dynamics as a Factor in the Etiology of Eating Disorders**

According to Cruwys et al. (2012) the groups a person interacts with play a critical role in her or his eating habits, for example, menu choices (see Ellisoin, 2014). Cruwys et al. found that

## GROUP DYNAMICS AND EATING DISORDERS

the degree to which a person identified as a member of a group corresponded directly to that group's influence on menu preferences determine eating habits. Similarly, Howland, Hunger, and Mann (2012) found that, as Friend A in a dyad changed or restricted her or his eating habits, Friend B changed her or his as well and not only when around Friend A but also in private.

Marcos, Sebastián, Aubalat, Ausina, and Treasure (2013) reported that friends and family members influenced an individual's body image and body-image satisfaction. Crandall (1988) found that binge eating was a social norm among college women who belonged to sororities and that popularity increased with more frequent bingeing.

### **An Example of Media Influence**

To illustrate the powerful influence of media, I will describe an extreme case of eating disorders as lifestyle. The online group Ana and Mia support anorexia nervosa and bulimia as personal lifestyle choices (Day & Key, 2008). This virtual group initially challenged the image that a person with an eating disorder is passive and helpless. Instead, they sought to empower women diagnosed with such disorders by providing dangerous "tips

## GROUP DYNAMICS AND EATING DISORDERS

and tricks.” They also reinforced the thin-female body image (Harshbarger, Ahlers-Schmidt, Mayans, Mayans, & Hawkins, 2009).

### **Family Group Therapy for Eating Disorders**

Brauhardt, Zwaan, and Hilbert (2014) reported on the treatment of eating disorders occurs within a treatment framework that may include admission to a hospital or specialized center in order to gain weight to a predetermined point; individual, group, and family psychotherapy or counseling; multidisciplinary social and occupational therapy; and prolonged outpatient follow-up after discharge (see also Ben-Tovim, 2003).

Family counseling and family therapy are often part of the treatment. For example, , a therapist might work not only the individual who has been diagnosed but with her or his family as well (Bean, Louks, Kay, Cornella-Carlson, & Weltzin, 2010).

The Maudsley method (McCullough, 2013).is a form of family therapy based on the idea that parents play an important role in a child’s recovery from an eating disorder and is aimed to empower the family to find solutions to problems associated

## GROUP DYNAMICS AND EATING DISORDERS

with the disorder. (Rather than blaming the family for the disorder, they are viewed as a force for good (Bean et al., 2010).

The eating-disorder patient's parents have an essential role in reaching three treatment goals: restoring the patient's body weight to normal levels based on height and age, placing the responsibility for eating choices on the patient, and helping the patient work through emotional and physical developmental issues that may be restricting recovery (Bean et al., 2010).

This method takes these aims and divides them into three phases. The first goal is to restore a healthy body in order to prevent common secondary health issues, such as malnutrition, primary hypothermia, cardiac dysfunction, psychological and cognitive deficits, and growth and hormonal changes. To achieve the second goal, the therapeutic process might include conversations about other settings, such as school or specific social events, and how the patient can maintain a healthy body weight within them. Throughout the course of family therapy, the therapist may help the patient and other family members to establish appropriate relational boundaries with the family (McCullough, 2013).

Initially, parents of children with eating disorders may feel powerless and guilty. In one family's experience (Parent

## GROUP DYNAMICS AND EATING DISORDERS

& Parent, 2007), the parents observed their daughter Ann's g failed attempts at treatment. They began to educate themselves about treatment options and discovered the Maudsley method. After consulting with the family's Maudsley treatment team, which consisted of a child psychiatrist, his staff, and Ann's pediatrician, Ann began the process of refeeding. Her parents were encouraged to find ways to help Ann manage her eating. According to the parents, "We learn[ed]... her destructive behaviors and her insistence that she 'didn't want to get better' were all just symptoms of an illness over which she had no meaningful control" (p. 72). They reported that, as they were consistent in helping her eat and expressing their love for her, her body weight increased. Conflicts about weight gain were not as extensive as they were previously (McCullough, 2013). The last of her symptoms to remit were fear of eating and displeasure in eating. Four months after reaching her healthy body weight, Ann was able to return to school.

### **Other Approaches**

As members of a group interact, one or more members of the group may model eating habits for other group members (Cruwys et al., 2012). Positive group dynamics, such as those



## GROUP DYNAMICS AND EATING DISORDERS

in the case study described above, may lead to lasting recovery from eating disorders. Current methods for eating-disorder prevention include two strategies: “inoculation” and early-adolescence intervention. Inoculation refers to the effort to educate people about the negative effects of eating disorders (Brauhardt, de Zwaan, & Hilbert, 2014). It assumes that, if the devastating effects that permeate the media are understood, a person’s resistance to them will increase. Early intervention requires the detection of likely symptoms, such as body-image dissatisfaction and repetitive dieting, during adolescence and providing intervention promptly.

Mentoring can also be effective (Kao et al., 2014). Schools may be an ideal setting for the implementation of such programs (Smith & Hollman, 2013). Older students could be selected to serve as mentors to younger students regarding exercise and wellness, healthy eating, and other factors related to the development of eating disorders.

### References

- Allison, S., Warin, M., & Bastiampillai, T. (2014). Anorexia nervosa and social contagion: Clinical Implications. *Australian & New Zealand Journal of Psychiatry*, 48(2), 116–120. doi: 10.1177/0004867413502092
- Parent, B. A., & Parent, T. C. (2007). Anorexia, Maudsley and an impressive recovery: One family’s story. *Journal of*

## GROUP DYNAMICS AND EATING DISORDERS

*Pediatrics and Child Health*, 44, 70–73. doi: 10.1111/j.1440-1754.2007.01235.x

Bean, P., Louks, H., Kay, B., Cornella-Carlson, T., & Weltzin, T. (2010). Clinical observations of the impact of Maudsley therapy in improving eating disorder symptoms, weight, and depression in adolescents receiving treatment for anorexia nervosa. *Journal of Groups in Addiction & Recovery*, 5(1), 70–82.

Ben-Tovim, D. (2003). Eating disorders: Outcome, prevention and treatment of eating disorders. *Current Opinion in Psychiatry*, 16(1), 65–69.

Berel, S., & Irving, L. M. (1998). Media and disturbed eating: An analysis of media influence and implications for prevention. *Journal of Primary Prevention*, 18(4), 415–430.

Brauhardt, A., de Zwaan, M., & Hilbert, A. (2014). The therapeutic process in psychological treatments for eating disorders: A systematic review. *International Journal of Eating Disorders*, 47(6), 565–584.

Campbell, P. G. (1995). What would a causal explanation of the eating disorders look like? In G. I. Sz mukler, C. Dare, & J. Treasure (Eds.), (pp. 49-64). Oxford, UK: John Wiley & Sons.

Ciao, A. C., Loth, K., & Neumark-Sztainer, D. (2014). Preventing eating disorder pathology: common and unique features of successful eating disorders prevention programs. *Current Psychiatry Reports*, 16(7), 453. doi:10.1007/s11920-014-0453-0

Condit, V. K. (1990). Anorexia nervosa: Levels of causation. *Human Nature*, 1(4), 391–413.

Crandall, C. S. (1988). Social contagion of binge eating. *Journal of Personality and Social Psychology*, 55(4), 588–598. doi:10.1037/0022-3514.55.4.588

Cruwys, T., Platow, M. J., Angullia, S. A., Chang, J. M., Diller, S. E., Kirchner, J. L., ... Wadley, A. L. (2012). Modeling of food intake is moderated by salient psychological group membership. *Appetite*, 58(2), 754–757. doi:10.1016/j.appet.2011.12.002

## GROUP DYNAMICS AND EATING DISORDERS

- Day, K., & Keys, T. (2008). Starving in cyberspace: A discourse analysis of pro-eating-disorder websites. *Journal of Gender Studies*, 17(1), 1–15.
- Easter, M. M. (2011). "Some sort of larger force at work": Meanings and implications of genetics for women with eating disorders (Doctoral dissertation). Retrieved from ProQuest Information & Learning. Dissertation Abstracts International Section A: Humanities and Social Sciences. (UMI No. 3418516)
- Eating Disorders. (2011). National Institute of Mental Health. Retrieved from <http://www.nimh.nih.gov/health/publications/eating-disorders/index.shtml#pub3>
- Ellison, B. (2014). "I'll have what he's having": Group ordering behavior in food choice decisions. *Food Quality & Preference*, (37), 79-86. doi:10.1016/j.foodqual.2014.04.012
- Evans, J., Rich, E., & Holroyd, R. (2004). Disordered eating and disordered schooling: What schools do to middle class girls. *British Journal of Sociology of Education*, 25(2), 123–142. doi :10.1080/0142569042000205154
- Fay, K., & Lerner, R. M. (2013). Weighing in on the issue: A longitudinal analysis of the influence of selected individual factors and the sports context on the developmental trajectories of eating pathology among adolescents. *Journal of Youth and Adolescence*, 42(1), 33–51. doi:10.1007/s10964-012-9844-x
- Harshbarger, J. L., Ahlers-Schmidt, C. R., Mayans, L., Mayans, D., & Hawkins, J. H. (2009). Pro-anorexia websites: What a clinician should know. *International Journal Of Eating Disorders*, 42(4), 367-370.
- Howland, M., Hunger, J. M., & Mann, T. (2012). Friends don't let friends eat cookies: Effects of restrictive eating norms on consumption among friends. *Appetite*, 59(2), 505–509.
- Janis, I. L. (1972). *Victims of groupthink*. Boston, MA: Houghton Mifflin.
- Kao, K., Rogers, A., Spitzmueller, C., Lin, M., & Lin, C. (2014). Who should serve as my mentor? The effects of mentor's gender and supervisory status on resilience in mentoring

GROUP DYNAMICS AND EATING DISORDERS

- relationships. *Journal of Vocational Behavior*, 85(2), 191–203. doi:10.1016/j.jvb.2014.07.004
- Krentz, E. M., & Warschburger, P. (2011). Sports-related correlates of disordered eating in aesthetic sports. *Psychology of Sport and Exercise*, 12(4), 375–382. doi:10.1016/j.psychsport.2011.03.004
- Marcos, Y., Sebastián, M. J., Aubalat, L., Ausina, J., & Treasure, J. (2013). Peer and family influence in eating disorders: A meta-analysis. *European Psychiatry*, 28(4), 199–206. doi:10.1016/j.eurpsy.2012.03.005
- McCullough, C. B. (2013). Parental experience of phase one of a modified Maudsley treatment approach for their adolescent with an eating disorder: A qualitative study (Electronic Thesis or Dissertation). Retrieved from <https://etd.ohiolink.edu/>
- Overweight and Obesity Statistics. (2012). Washington, DC: National Institute of Diabetes and Digestive and Kidney Disease. Retrieved from <https://www.niddk.nih.gov/health-information/health-statistics/Pages/overweight-obesity-statistics.aspx>
- Ogden, C., Carroll, M., Kit, B., & Flegal, K. (2012). Prevalence of obesity in the United State, 2009-2010. *NCHS Data Brief*, (82).
- Peskin, M. F. (2010). Moving prevention research forward. *Journal of Primary Prevention*, 31(4), 189–190.
- Reel, J., Petrie, T., SooHoo, S., & Anderson, C. (2013). Weight pressures in sport: Examining the factor structure and incremental validity of weight pressures in sport—females. *Eating Behaviors*, 14(2), 137-144. doi:10.1016/j.eatbeh.2013.01.003
- Russel, L., & Laszlo, B. (2013). A group for men with eating disorders: When “lone wolves” come together. *Men and Masculinities*, 16(2), 252–259. doi:10.1177/1097184X1348
- Smith, L. H., & Holloman, C. (2013). Comparing the effects of teen mentors to adult teachers on child lifestyle behaviors and health outcomes in Appalachia. *Journal of School Nursing: The Official Publication of the National Association of School Nurses*, 29(5), 386–396. doi:10.1177/1059840512472708

GROUP DYNAMICS AND EATING DISORDERS

Why is it important to seek treatment for these disorders? (2011). APA Help Center Online. Retrieved from <http://www.apa.org/helpcenter/eating.aspx>  
Yuile, A., & McVey, G. (2009). The role of social influence in the prevention of disordered eating among girls. *Advances in School Mental Health Promotion*, 2(4), 47–60. doi:10.1080/1754730X.2009.9715716