



9-30-1971

## Albinism in *Thomomys talpoides* from Colorado

G. Keith LaVoie

*Denver Wildlife Research Center, Bureau of Sport Fisheries and Wildlife, Denver*

Howard P. Tietjen

*Denver Wildlife Research Center, Bureau of Sport Fisheries and Wildlife, Denver*

Michael W. Fall

*Denver Wildlife Research Center, Bureau of Sport Fisheries and Wildlife, Denver*

Follow this and additional works at: <https://scholarsarchive.byu.edu/gbn>

### Recommended Citation

LaVoie, G. Keith; Tietjen, Howard P.; and Fall, Michael W. (1971) "Albinism in *Thomomys talpoides* from Colorado," *Great Basin Naturalist*: Vol. 31 : No. 3 , Article 12.

Available at: <https://scholarsarchive.byu.edu/gbn/vol31/iss3/12>

This Article is brought to you for free and open access by the Western North American Naturalist Publications at BYU ScholarsArchive. It has been accepted for inclusion in Great Basin Naturalist by an authorized editor of BYU ScholarsArchive. For more information, please contact [scholarsarchive@byu.edu](mailto:scholarsarchive@byu.edu), [ellen\\_amatangelo@byu.edu](mailto:ellen_amatangelo@byu.edu).

## ALBINISM IN *THOMOMYS TALPOIDES* FROM COLORADO

G. Keith LaVoie<sup>1</sup>, Howard P. Tietjen<sup>1</sup>, and Michael W. Fall<sup>1</sup>

Anomalies of pelage coloration among the various species of pocket gophers are not uncommon; however, most reported specimens are melanistic or exhibit only partial albinism. Bailey (1915) reported four specimens of the genus *Thomomys* that were apparently complete albinos. Six albino specimens of *T. bottae* from California collections were described by Storer and Gregory (1934). Bradley (1963) collected a completely albino *T. umbrinus* near Las Vegas, Nevada. Burnett (1925) described a *T. talpoides* trapped in Larimer County, Colorado; it "approached albinism," being a deep cream color. Mr. R. H. Brannaman of Larimer County, Colorado (1970), reported two white *T. talpoides* with black eyes in a sample of 954 trapped from his ranch in the past four years. To our knowledge, there is only one other report of a completely albino *T. talpoides*. Tryon (1947) found one in a sample of over 1000 gophers trapped in Montana.

On 6 November 1970, while live-trapping *T. talpoides*, we captured a completely albino male in Douglas County near Sedalia, Colorado. We estimated that more than 1000 gophers have been trapped for laboratory studies in this meadow and adjacent ranchlands since 1962. This specimen was a young-of-the-year weighing 75 g. The measurements were as follows: total length—165 mm, tail—40 mm, hind foot—26 mm, ear from notch—6 mm. The animal was completely white above and below, and hairs were uniformly white from base to tip. The eyes lacked pigment, being entirely pink. The specimen is preserved in the collection of the Denver Wildlife Research Center.

### REFERENCES

- BAILEY, V. 1915. Revision of the pocket gophers of the genus *Thomomys*. N. Amer. Fauna 39:1-132.
- BRADLEY, W. G. 1963. An albino pocket gopher. J. Mammal. 44(2):261.
- BRANNAMAN, R. H. 1970. Personal communication.
- BURNETT, W. L. 1925. Dichromatism and albinism in *Thomomys talpoides clusius*. J. Mammal. 6(2):129.
- STORER, T. I., AND P. W. GREGORY. 1934. Color aberrations in the pocket gopher and their probable genetic explanation. J. Mammal. 15(4):300-312.
- TRYON, C. A. 1947. The biology of the pocket gopher in Montana. Montana State Coll. Agr. Exp. Sta. Tech. Bull. 448. 30 p.

<sup>1</sup>Denver Wildlife Research Center, Bureau of Sport Fisheries and Wildlife, Denver, Colorado 80225.