



4-30-1984

End Matter, Vol. 44 No. 2

Follow this and additional works at: <https://scholarsarchive.byu.edu/gbn>

Recommended Citation

(1984) "End Matter, Vol. 44 No. 2," *Great Basin Naturalist*. Vol. 44 : No. 2 , Article 24.

Available at: <https://scholarsarchive.byu.edu/gbn/vol44/iss2/24>

This End Matter is brought to you for free and open access by the Western North American Naturalist Publications at BYU ScholarsArchive. It has been accepted for inclusion in Great Basin Naturalist by an authorized editor of BYU ScholarsArchive. For more information, please contact scholarsarchive@byu.edu, ellen_amatangelo@byu.edu.

NOTICE TO CONTRIBUTORS

Manuscripts intended for publication in the *Great Basin Naturalist* or *Great Basin Naturalist Memoirs* must meet the criteria outlined in paragraph one on the inside front cover. They should be directed to Brigham Young University, Stephen L. Wood, Editor, Great Basin Naturalist, 290 Life Science Museum, Provo, Utah 84602. Three copies of the manuscript are required. They should be typewritten, double spaced throughout on one side of the paper, with margins of at least one inch on all sides. Use a recent issue of either journal as a format, and the *Council of Biology Editors Style Manual, Fourth Edition* (AIBS 1978) in preparing the manuscript. An abstract, about 3 percent as long as the text, but not exceeding 200 words, written in accordance with *Biological Abstracts* guidelines, should precede the introductory paragraph of each article.

All manuscripts receive a critical peer review by specialists in the subject area of the manuscript under consideration. Authors may recommend one or two reviewers for their article.

Accepted manuscripts less than 100 printed pages in length will automatically be assigned to the *Great Basin Naturalist*. Those larger than 100 printed pages will be considered for the *Memoirs* series.

Illustrations and Tables. All illustrations and tables should be made with a view toward having them appear within the limits of the printed page. The original illustrations or glossy photoprints of them should accompany the manuscript. Illustrations should be prepared for reduction by the printer to either single-column (2 $\frac{5}{8}$ inches) or double-column (5 $\frac{1}{2}$ inches) width, with the length not exceeding 7 $\frac{1}{2}$ inches.

Costs Borne by Contributor. Contributors to the *Great Basin Naturalist* should be prepared to donate from \$10 to \$40 per printed page toward publication of their article (in addition to reprint costs). Excessive or complex tables requiring typesetting may be charged to the author at cost. Authors publishing in the *Great Basin Naturalist Memoirs* may be expected to contribute \$40 per printed page in addition to the cost of the printed copies they purchase. No reprints are furnished free of charge.

Reprint Schedule for the *Great Basin Naturalist*

100 copies, minimum cost for 2 pages, \$26.

Each additional 2 pages, \$6.

Each additional 100 copies, \$4 for each 2 pages.

Examples: 300 copies of 10 pages = \$82; 200 copies of 13 pages = \$86.

Great Basin Naturalist Memoirs

- No. 1 The birds of Utah. By C. L. Hayward, C. Cottam, A. M. Woodbury, H. H. Frost. \$10.
- No. 2 Intermountain biogeography: a symposium. By K. T. Harper, J. L. Reveal et al. \$15.
- No. 3 The endangered species: a symposium. \$6.
- No. 4 Soil-plant-animal relationships bearing on revegetation and land reclamation in Nevada deserts. \$6.
- No. 5 Utah Lake monograph. \$8.
- No. 6 The bark and ambrosia beetles of North and Central America (Coleoptera: Scolytidae), a taxonomic monograph. \$60.
- No. 7 Biology of desert rodents. \$8.

TABLE OF CONTENTS

Utah flora. Chenopodiaceae. Stanley L. Welsh	153
In introduction. Seville Flowers, 1900-1968). William H. Beble	210
New generic synonymy and new genera of Scolytidae (Coleoptera). Stephen L. Wood	223
Ecological studies of a regulated stream. Huntington River, Emery County, Utah. Robert N. Winget	231
Flora of the Lower Cretaceous Cedar Mountain Formation of Utah and Colorado, Part II. <i>Mosenbrioxylon stokesi</i> . G. F. Thavn and W. D. Tidwell	257
New <i>astragalus</i> (Leguminosae) from the Goose Creek Drainage, Utah-Nevada. N. Duane Atwood, Sherel Goodrich, and Stanley L. Welsh	263
Some edaphic relations of southeastern Idaho wildlands. Mark E. Jensen	265
Breeding birds of an ancient bristlecone pine stand in east central Nevada. Dean E. Medin	272
Checklist of vascular plants of the Canyon and Church mountains. Sherel Goodrich ..	277
In vitro digestibility of <i>Kochia prostrata</i> (L.) Schrad. Bruce L. Welch and James N. Davis	296
Habitat relationships of <i>Glaux maritima</i> in central Utah. Jack D. Brotherson and Sarah J. Barnes	299
Effect of western white pine cone production variability on mountain pine cone beetle population levels. Michael J. Jenkins	310
Confirmation and expansion of the reported distribution of two species of Idaho herptiles. William F. Laurance and Timothy D. Reynolds	313
Naturalization and habitat relationships of bitter nightshade [<i>Solanum dulcamara</i>] in central Utah. Jack D. Brotherson and Kevin P. Price	317
Distribution of the Shoshone sculpin (<i>Cottus greeniei</i> , Cottidae) in the Hagerman Valley of south central Idaho. Richard L. Wallace, J. S. Griffith, Jr., D. M. Daley, Patrick J. Connolly, and G. B. Beckham	324
Standing crops and dynamics of phytomass and minerals in two salt desert shrub communities. R. S. Bjerregaard, N. E. West, M. M. Caldwell, and H. F. Mayland	327
Bionomics of the cone spittlebug, <i>Aphrophora canadensis</i> (Homoptera: Cercopidae) on mugo pine in Idaho. Frances M. Bales and Malcolm M. Furniss	338
Seed and cone insects associated with <i>Pinus monophylla</i> in the Raft River Mountains, Utah. Michael J. Jenkins	349
Bristlecone pine and Clark's Nutcracker: probable interaction in the White Mountains, California. Ronald M. Lanner, Harry E. Hutchins, and Harriette A. Lanner	357
Incidence of the leech <i>Holobdella stagnalis</i> on the Colorado River in west central Colorado. Mitra Malek and Gary McCallister	361
Field establishment of fourwing saltbush in processed oil shale and disturbed native soils as influenced by vesicular-arbuscular mycorrhizae. C. A. Call and C. M. McKell	363