



4-30-1989

End Matter, Vol. 49 No. 2

Follow this and additional works at: <https://scholarsarchive.byu.edu/gbn>

Recommended Citation

(1989) "End Matter, Vol. 49 No. 2," *Great Basin Naturalist*. Vol. 49 : No. 2 , Article 19.
Available at: <https://scholarsarchive.byu.edu/gbn/vol49/iss2/19>

This End Matter is brought to you for free and open access by the Western North American Naturalist Publications at BYU ScholarsArchive. It has been accepted for inclusion in Great Basin Naturalist by an authorized editor of BYU ScholarsArchive. For more information, please contact scholarsarchive@byu.edu, ellen_amatangelo@byu.edu.

NOTICE TO CONTRIBUTORS

Manuscripts intended for publication in the *Great Basin Naturalist* or *Great Basin Naturalist Memoirs* must meet the criteria outlined in paragraph one on the inside front cover. The manuscripts should be sent to Stephen L. Wood, Editor, *Great Basin Naturalist*, 290 Life Science Museum, Brigham Young University, Provo, Utah 84602. Three copies of the manuscript are required. They should be typewritten, double-spaced throughout on one side of the paper, with margins of at least one inch on all sides. Use a recent issue of either journal as a format, and the *Council of Biology Editors Style Manual, Fifth Edition* (AIBS 1983) in preparing the manuscript. An abstract, about 3 percent as long as the text, but not exceeding 200 words, written in accordance with *Biological Abstracts* guidelines, should precede the introductory paragraph of each article.

Authors may reduce their typesetting costs substantially by sending a copy of their article on a 5.25-inch floppy disk prepared with WordPerfect software in addition to three copies of the manuscript.

Illustrations and Tables. All illustrations and tables should be made with a view toward having them appear within the limits of the printed page. Glossy photoprints of illustrations should accompany the manuscript. Illustrations should be prepared for reduction by the printer to either single-column ($2\frac{5}{8}$ inches) or double-column ($5\frac{1}{2}$ inches) width, with the length not exceeding $7\frac{1}{2}$ inches.

Costs Borne by Contributor. Contributors to the *Great Basin Naturalist* should be prepared to donate \$40 per printed page toward publication of their article. No reprints are furnished free of charge. Excessive or complex tables requiring typesetting may be charged to the author at cost. *Great Basin Naturalist Memoirs* costs must be borne in full by the author.

Reprint Schedule for the *Great Basin Naturalist*

100 copies, minimum cost for 2 pages, \$26.

Each additional 2 pages, \$6.

Each additional 100 copies, \$4 for each 2 pages.

Examples: 300 copies of 10 pages = \$82; 200 copies of 13 pages = \$86.

Great Basin Naturalist Memoirs

No. 1 The birds of Utah. \$10.

No. 2 Intermountain biogeography: a symposium. \$15.

No. 3 The endangered species: a symposium. \$6.

No. 4 Soil-plant-animal relationships bearing on revegetation and land reclamation in Nevada deserts. \$6.

No. 5 Utah Lake monograph. \$8.

No. 6 The bark and ambrosia beetles of North and Central America (Coleoptera: Scolytidae), a taxonomic monograph. \$60.

No. 7 Biology of desert rodents. \$8.

No. 8 The black-footed ferret. \$10.

No. 9 A Utah flora. \$40.

No. 10 A reclassification of the genera of Scolytidae (Coleoptera). \$10.

No. 11 A catalog of Scolytidae and Platypodidae (Coleoptera), part 1: bibliography. \$30.

No. 12 Research in the Auchenorrhyncha, Homoptera: a tribute to Paul W. Oman. \$30.

TABLE OF CONTENTS

| | |
|--|-----|
| Snake Creek Burial Cave and a review of the Quaternary mustelids of the Great Basin. Emilee M. Mead and Jim I. Mead | 143 |
| Diatom flora of Mink Creek, Idaho, USA. Christopher T. Robinson and Samuel R. Rushforth | 155 |
| Responses of Utah deer hunters to a checking station questionnaire. Dennis D. Austin and Lucy Jordan. | 159 |
| Nomenclatural changes and new species of Scolytidae (Coleoptera), Part IV. Stephen L. Wood | 167 |
| Species composition, emergence, and habitat preferences of Trichoptera of the Sage- hen Creek basin, California, USA. Nancy A. Erman | 186 |
| Influence of substrate water content on neonate size in the prairie skink, <i>Eumeces</i> <i>septentrionalis</i> . Louis A. Somma | 198 |
| Review of selenium in soils, plants, and animals in Nevada. Stephen C. Poole, Verle R. Bohman, and James A. Young | 201 |
| Classification of the riparian vegetation of the montane and subalpine zones in western Colorado. William L. Baker | 214 |
| Winter habitats and foods of Blue Grouse in the Sheeprock Mountains, Utah. Peter J. Pekins, Frederick G. Lindzey, Jay A. Roberson, Gregory McDaniel, and Randy Berger. | 229 |
| New species of <i>Harasupia</i> with a revised key to the species (Homoptera: Cicadellidae: Coelidiinae). M. W. Nielson | 233 |
| Quadrat and sample sizes for frequency sampling mountain meadow vegetation. Jeffrey C. Mosley, Stephen C. Bunting, and M. Hironaka | 241 |
| Foods and feeding periodicity of the White River springfish, <i>Crenichthys baileyi</i> . Gene R. Wilde | 249 |
| Habitat use and selection and home ranges of Merriam's Wild Turkey in Oregon. R. Scott Lutz and John A. Crawford | 252 |
| Gerridae (water striders) of Idaho (Heteroptera). R. C. Biggam and M. A. Brusven | 259 |
| Comparison of Sage and Sharp-tailed Grouse leks in south central Wyoming. James H. Klott and Frederick G. Lindzey. | 275 |
| Notes on Hells Canyon birds. Daniel M. Taylor | 279 |