

### **Great Basin Naturalist**

Volume 46 | Number 3

Article 1

7-31-1986

# North American stoneflies (Plecoptera): systematics, distribution, and taxonomic references

B. P. Stark Mississippi College, Clinton, Mississippi

S. W. Szczytko University of Wisconsin, Stevens Point, Wisconsin

R. W. Baumann Brigham Young University

Follow this and additional works at: https://scholarsarchive.byu.edu/gbn

#### **Recommended Citation**

Stark, B. P.; Szczytko, S. W.; and Baumann, R. W. (1986) "North American stoneflies (Plecoptera): systematics, distribution, and taxonomic references," *Great Basin Naturalist*: Vol. 46: No. 3, Article 1. Available at: https://scholarsarchive.byu.edu/gbn/vol46/iss3/1

This Article is brought to you for free and open access by the Western North American Naturalist Publications at BYU ScholarsArchive. It has been accepted for inclusion in Great Basin Naturalist by an authorized editor of BYU ScholarsArchive. For more information, please contact scholarsarchive@byu.edu, ellen\_amatangelo@byu.edu.

## The Great Basin Naturalist

PUBLISHED AT PROVO, UTAH, BY BRIGHAM YOUNG UNIVERSITY

#### ISSN 0017-3614

VOLUME 46

31 July 1986

No. 3

## NORTH AMERICAN STONEFLIES (PLECOPTERA): SYSTEMATICS, DISTRIBUTION, AND TAXONOMIC REFERENCES

B. P. Stark<sup>1</sup>, S. W. Szczytko<sup>2</sup>, and R. W. Baumann<sup>3</sup>

ABSTRACT.—A list of 537 Nearctic stonefly species is provided and distributions of all species are given by U.S. state and Canadian province. The list includes a bibliography of systematic and biogeographic papers published since the Zwick (1973) catalogue.

Periodically, it is useful to update catalog information on such well-studied groups as the nearctic Plecoptera. The most recent update by Baumann (1976) included distributions of genera by regions and reported a total of 470 nearctic species; prior to that list, the Illies (1966) and Zwick (1973) catalogs provided sources from which distributional data could be extracted. Unfortunately, not only are these works somewhat unavailable to workers, but also they are somewhat out of date. Consequently, we present this list of 537 species currently recognized (as of January 1986) from North America. Distribution records are reported by standard postal service abbreviation for U.S. states and Canadian provinces; Mexican records are given as MX, but only those species of nearctic origin are included because of the poor state of knowledge of the neotropical Anacroneuria. The list includes unpublished records provided by B. C. Kondratieff and R. F. Kirchner, along with a few from our personal collections, and the bibliography includes only those papers published since the Zwick (1973) catalog that contain new state or province records, or which reflect systematic changes for nearctic Plecoptera.

Since this list is likely to expand and undergo change as generic and specific limits are refined and phylogenetic affinities are postulated, we are maintaining the list in computer files. Currently we are using IBM and AT&T personal computers with Wordstar and Word-Perfect software and a fortran program developed at Mississippi College for the HP 3000 mainframe academic computer. We suggest others with a vital interest in Plecoptera may also want to adopt this approach.

#### LIST OF ABBREVIATIONS

AB	Alberta	KS	Kansas
AL	Alabama	KY	Kentucky
AK	Alaska	LA	Louisiana
AR	Arkansas	LB	Labrador
AZ	Arizona	MA	Massachusetts
BC	British Columbia	MB	Manitoba
CA	California	MD	Maryland
CO	Colorado	ME	Maine
CT	Connecticut	MI	Michigan
DC	District of Columbia	MN	Minnesota
DE	Delaware	MO	Missouri
FL	Florida	MS	Mississippi
GA	Georgia	MT	Montana
IO	Iowa	MX	Mexico
ID	Idaho	NB	Nebraska
IL	Illinois	NC	North Carolina
IN	Indiana	ND	North Dakota

Department of Biology, Mississippi College, Clinton, Mississippi 39058.
 College of Natural Resources, University of Wisconsin, Stevens Point, Wisconsin 54481

<sup>&</sup>lt;sup>3</sup>Life Science Museum and Department of Zoology, Brigham Young University, Provo, Utah 84602.

MS, NC, SC, VA

384			GREAT BASIN	NATURALIST	vol. 40, No. 3
NF NH NJ NM	Newfoundland New Hampshire New Jersey New Mexico	RI SC SD SK	Rhode Island South Carolina South Dakota Saskatchewan	maria Hanson	CT, MA, MD, ME, NII, NS, NW, NY, PA, QB, VA, VT, WV
NS NT NV NW NY	Nova Scotia Northwest Territories Nevada New Brunswick New York	TN TX UT VT VA	Tennessee Texas Utah Vermont Virginia	minima (Newport)	CT, IN, MA, ME, MI, MN, NF, NH, NS, NW, NY, ON, QB, VT, WI
OH OK ON OR PA	Ohio Oklahoma Ontario Oregon Pennsylvania	WA WI WV WY YK	Washington Wisconsin West Virginia Wyoming Yukon	mohri Ross & Ricker mystica Frison	AR, MO, OK AL, AR, GA, IL, IN, KY, MO, MS, OH, TN, VA, WV
QB W	Quebec  ACKNOWLED e thank B. C. Kondra			nivicola (Fitch)	AL, CT, DC, DE, IL, IN, KY, MA, MD, NC, NJ, NS, NW, NY, OH, PA, QB, RI, TN, VA,
early	draft of the list and I ertise in developing the	C. V	Whitlock for his	ohioensis Ross & Ricker	VT, WI, WV IN, KY, NY, OH, WV
				ozarkana Ross	AR
Еино	DLOGNATHA			pechumani Ross & Ricker	NW, NY, QB
	Capniid	ae		<i>peltoides</i> Ross & Ricker	AR, OK
				<i>perplexa</i> Ross & Ricker	TN
	Capniin	ae		polemistis Ross & Ricker	AL
Alloc	apnia			pygmaea (Burmeister)	CT, DC, IN, KY,
au	ooksi Ross		AL, DC, GA, MD, MS, NC, SC, TN, VA		MA, MD, ME, MI, MN, MO, NH, NS, NW, NY, ON, PA,
	nninghami Ross & Ricker		KY, TN		QB, RI, TN, VA,
	riosa Frison		KY, MD, NY,		VT, WI, WY
	riosa Frison Besi Frison		PA, VA, WV IL, IN, KY, OH,	recta (Claassen)	AL, CT, DC, DE, GA, IL, IN,
	soni Ross & Ricker		TN, WV KY, NY, OH, PA,		KY, MA, MD, ME, MS, NC, NH, NS, NY,
,,,	som noss & meker		TN, VA, WI, WV		OH, ON, PA,
fr	<i>ımi</i> Kirchner		WV		QB, SC, TN, VA,
fu	mosa Ross		NC, TN, VA		VT, WI, WV
gr	anulata (Claassen)		AL, AR, DC, IA, IL, IN, KS, KY, LA, MB, MD, MI, MN, MO, MS, NJ, NY, OH, OK, ON, PA, QB, TN, TX, VA, WI, WV	rickeri Frison	AL, AR, DC, DE, GA, IA, IN, KS, KY, MD, MN, MO, MS, NC, NJ, NY, OH, OK, ON, PA, TN, VA, WI, WV
ho	rperi Kirchner		VA, WV	sandersoni Ricker	AR, MO, OK
	inoensis Frison		IL, IN, ME, MN, NY, OH, ON, QB, VA, WI	simmonsi Kondratieff & Voshell smithi Ross & Ricker stannardi Ross	VA AL, IL, KY, OH NC, TN, VA
	dianae Ricker		IN, KY, NY, OH	tennessa Ross & Ricker	AL, TN
9	anae Ross		AR, OK	unzickeri Ross & Yamamoto	TN
lo	shada Ricker		TN, VA, WV	virginiana Frison	AL, DE, GA,

AR, LA, OK, TX

malverna Ross

,,			
vivipara (Claassen)	DC, IA, IL, IN,	pileata Jewett	BC, OR
eserpara (Claussell)	KS, KY, MD,	promota Frison	BC, CA, OR, WA
	MI, MN, MO,	quadrituberosa Hitchcock	CA
	NY, OH, OK,	scobina Jewett	CA
	ON, PA, QB,	sextuberculata Jewett	AB, MT, OR
	TN, VA, WI, WV	spinulosa Claassen	CA
warreni Ross & Yamamoto	AR	sugluka Ricker	QB
wrayi Ross	DC, DE, GA,	teresa Claassen	ČA
	MD, NC, SC,	tumida Claassen	BC, CA, OR
	TN, VA	uintahi Gaufin	ID, NV, UT, WY
zola Ricker	CT, KY, ME,	umpqua Frison	CA, OR
	NW, NY, OH,	utahensis Gaufin & Jewett	NV, UT
	PA, TN, VA, WV	venosa (Banks)	OR, WA
- 11		vernalis (Newport)	AB, BC, CO, ID,
Bolshecapnia	n.c.		LB, MB, MN,
gregsoni (Ricker)	BC		MT, NM, OH,
maculata (Jewett)	CA		ON, QB, SK,
milami (Nebeker & Gaufin)	AB, ID, MT		UT, WI, WY
rogozera (Ricker)	BC	wanica Frison	CO, NM, NV,
sasquatchi (Ricker)	AB, BC, MT		UT, WY
spenceri (Ricker)	AB, BC, MT	willametta Jewett	OR
Capnia		zukeli Hanson	ID
bakeri (Banks)	CA	E	
barbata Frison	AZ, CO, NM	Eucapnopsis brevicauda Claassen	AD AV AT DO
barberi Claassen	CA	Dieticanaa Ciaassen	AB, AK, AZ, BC,
californica Claassen	AZ, CA		CA, CO, ID,
cheama Ricker	AB, BC, MT, YK		MT, NM, NV, OR, UT, WY
coloradensis Claassen	CO, ID, MB,		OII, UI, WI
	MT, NM, SK,	Isocapnia	
	WY, YK	abbreviata Frison	CA, OR
confusa Claassen	AB, AK, BC, CO,	agassizi Ricker	BC, OR, WA
	ID, MB, MT,	crinita (Needham & Claassen)	CO, ID, MT, SK,
	NM, SK, UT,	,	UT
	WY	fraseri Ricker	BC
cygna Jewett	1D, MT, UT, WA	grandis (Banks)	AB, AK, BC, CA,
decepta (Banks)	CO	,	CO, MT, OR, UT
disala Jewett	OR	hyalita Ricker	CO, ID, MT, UT
elevata Frison	OR, WA	integra Hanson	AB, MT
elongata Claassen	BC, CA, OR, WA	missouri Ricker	AB, ID, MT, SK,
ensicala Jewett	OR, WA		UT
erecta Jewett	OR	mogila Ricker	OR
excavata Claassen	AK,BC,CA	spenceri Ricker	BC, CA, OR
fibula Claassen	AZ, NM	vedderensis (Ricker)	AB, BC, MT,
glabra Claassen	CA, OR		NM, UT
gracilaria Claassen	AB, BC, CA, CO,		
	ID, MB, MT,	Mesocapnia	17. 10.4
	NM, NV, OR,	arizonensis (Baumann & Gaufin)	AZ, NM
1 ::D ::Cl 11	SK, UT, WY	autumna (Baumann & Gaufin)	AK, BC, OR, WA
hornigi Baumann & Sheldon	NV	bergi (Ricker)	AK
jewetti Frison	OR CA NIV	frisoni (Baumann & Gaufin)	CO, NM, TX, UT
lacustra Jewett licina Jewett	CA, NV OR	lapwae (Baumann & Gaufin)	CA, ID, OR
lineata Hanson		oenone (Neave)	AB, AK, BC,
manitoba Claassen	CA, 1D CT, MB, ME,		MT, OR, WA,
munitooa Ciaassen	QB, WI	. 7 /7	YK
melia Frison	AK, BC, OR	ogotoruka (Jewett)	AK CA OP WA
nana Claassen	AB, AK, BC, CO,	porrecta (Jewett)	CA, OR, WA
	ID, MT, OR, UT,	projecta (Frison)	BC, CA, OR, WA
	WY	variabilis (Klapalek)	AK, BC
nearctica Banks	AK, BC, MB,	werneri (Baumann & Gaufin)	AZ, CA, NM
	NT, ON	yoloensis (Baumann & Gaufin)	CA, OR
nedia Nebeker & Gaufin	ID	Nemocapnia	
oregona Frison	OR	carolina Banks	AL, AR, FL, IL,
petila Jewett	AB, ID, MT, OR,		IN, MS, NC, QB,
	WY		SC, VA

p .			
Paracapnia angulata Hanson	CO, CT, DE, IL,	rickeri James	AL, IL, KY, MS,
angmata Hanson	MA, MB, MD,	sibleyi Claassen	OH CT, DE, IL, IN,
	ME, MI, NC,	sure ye Chaissen	KY, MA, MD,
	OH, OK, PA,		ME, NC, NY,
	QB, SK, TN, VA.		OH, ON, PA,
	WI, WV, WY		QB, SC, TN, VA,
opis (Newman)	CT, ME, MN,		WI, WV
	NF, NY, ON,	szczytkoi Stark & Stewart	LA
	PA, QB, WI	<i>tenella</i> Provancher	CT, IN, LB, MA,
oswegaptera (Jewett)	OR, WA		ME, MN, MS,
Utacapnia			NJ, NS, NW, NY, ON, PA,
columbiana (Claassen)	AB, AK, BC, CA.		QB, WI
2 (w	MT, OR, YK	tenuis (Pictet)	AL, AR, CT, DE,
distincta (Frison)	AB, ID, MT, WY		IL, MA, ME,
imbera (Nebeker & Gaufin) labradora (Ricker)	OR, WA LB, QB		MI, MN, MO,
lemoniana (Nebeker & Gaufin)	CO, ID, NV, UT,		MS, NJ, NS, NY,
temontana (rebeker & Gainni)	WY		OH, OK, ON,
logana (Nebeker & Gaufin)	CO, NM, UT,		PA, QB, SC, TN,
,	WY	triloba Claassen	VA, WI, WV
poda (Nebeker & Gaufin)	CO, MT, NM,	truoba Ciaassen	FL, NC, NY,
	UT, WY	truncata Claassen	QB, SC, VA CT, ME, NY,
sierra (Nebeker & Gaufin)	CA	Transacta Chaissen	PA, QB, VA, WV
tahoensis (Nebeker & Gaufin)	CA, NV	variabilis Hanson	MA, ME, NH,
trava (Nebeker & Gaufin)	AB, ID, MB,		VA, VT
	MT, SK	Moselia	
Leuctridae		infuscata (Chassen)	BC, CA, NV,
			OR, WA
Leuctrinae		Paraleuctra	
Despaxia		andersoni Harper & Wildman	CA, OR
augusta (Banks)	AK, BC, CA, ID,	divisa (Hitchcock)	CA
	MT, OR, WA	forcipata (Frison)	AB, AK, BC, CA,
Leuctra			ID, MT, OR
alabama James	AL	jewetti Nebeker & Gaufin	CO, MT, UT
alexanderi Hanson	KY, NC, SC, TN,	occidentalis (Banks)	AB, AK, BC, CA,
	VA, WV		CO, ID, MT, NM, NV, OR,
alta James	AL		UT, WY
<i>baddecka</i> Ricker	NS	purcellana (Neave)	AB, BC, MT,
biloba Claassen	AL, GA, NC,	,	OR, WY
!:	ON, TN, VA	rickeri Nebeker & Gaufin	AK, ID, MT,
earolinensis Chassen	NC, PA, SC, TN, VA		NM, UT
cottaquilla James	AL, FL, MS	sara (Claassen)	CT, DE, KY,
crossi James	AL AL		MA, ME, NC,
duplicata Claassen	CT, ME, NY,		NY, ON, QB,
	ON, PA, QB, VA,	vershina Gaufin & Ricker	SC, TN, VA, WV AB, AK, BC, CA,
	WV	cersmina Oddini Certicker	CO, ID, MT,
ferruginea (Walker)	AL, CT, DE, FL,		NM, NV, OR,
	IL, KY, MA,		SK, UT, WA, WY
	ME, MN, MS,	Perlomyia	
	NS, OH, PA,	collaris Banks	BC, CA, ID, OR
	QB, SC, SK, VA, WI, WV	utahensis Needham & Claassen	AB, BC, CA, CO,
grandis Banks	MA, ME, NC,		MT, NM, NV,
	PA		OR, UT, WA,
laura Hitchcock	NH		WY
maria Hanson	CT, NH, ON,	Zealeuctra	
	QB, VT	arnoldi Ricker & Ross	TX
mitchellensis Hanson	NC, VA	cherokee Stark & Stewart	AR, OK
moha Ricker monticola Hanson	AL, GA, SC	claasseni (Frison)	AR, IL, IN, KS,
monticota Hanson nephophila Hanson	NC, SC, TN, VA NC, TN		KY, MO, OK,
ac phophila Hallson	INC. LIN		TX, VA

fraxina Ricker & Ross	IL, KY, OH, TN, WV	flexura (Claassen)	AB, CO, ID, MT, NM, OR, WA,
hitei Ricker & Ross	TX	and the state of t	WY
narfi Ricker & Ross	AR, IL, MO, OK, WI	marionae (Hitchcock)	CA
warreni, Ricker & Ross	AR, MO, OK	perplexa (Frison) tina (Ricker)	OR, WA
washita Ricker & Ross	AR, MO, OK	tina (Nicker)	ID, MT, NV,
washila facker & floss	Alt	wenatchee (Ricker)	OR, WA WA
Megaleuctrinae		teematenee (Hicker)	WA
Megaleuctra		Nemourinae	
complicata Claassen	OR, WA	Lednia	
flinti Baumann	PA, VA	tumana (Ricker)	MT
kincaidi Frison	ID, OR, WA		141 1
sierra Fields	CA	Nemoura	
stigmata (Banks)	AB, BC, MB,	arctica Esben-Petersen	AB, AK, BC,
	MT, WA	(D) 1	MB, QB, SD
williamsae Hanson	SC, TN, VA	normani Ricker	AK, NT
		rickeri Jewett spiniloba Jewett	AK, MB, SK
Nemouridae		trispinosa Claassen	CA H. I.B. MB
Amphinemurinae		trispinosa Ciaassen	IL, LB, MB, ME, NS, NY,
•			ON, QB, WI
Amphinemura apache Baumann & Gaufin	AZ	0.	ом, ув, ит
banksi Baumann & Gaufin	AZ, CO, ID, MT.	Ostrocerca	OTT MAN MET
Dunksi Danmann & Gaunn	SD, UT, WY	alhidipennis (Walker)	CT, MA, ME,
delosa (Ricker)	AL, AR, GA, IL,		NH, NS, NY,
delosa (Mener)	IN, KS, KY, MI,	complexa (Claassen)	ON, QB, VA CT, MA, ME,
	MO, MS, OH,	complexa (Claassen)	NY, ON, PA,
	OK, ON, PA,		QB, VA, WV
	QB, TN, VA, WI,	dimicki (Frison)	BC, OR, WA
	WV	foersteri (Ricker)	BC, OR, WA
linda (Ricker)	AB, AK, BC, CO,	prolongata (Claassen)	DE, ME, NH,
	LB, MB, MI,	,	NW, QB, VA,
	NT, ON, PA,		WV
	QB, SK, WI	truncata (Claassen)	CT, MA, MD,
mexicana Baumann	MX		ME, NY, OH,
mockfordi (Ricker)	TN		ON, PA, QB, VA,
mogollonica Baumann & Gaufin	AZ, NM, UT		WV
nigritta (Provancher)	AL, CT, DE, FL,	Paranemoura	
	GA, IL, IN, KY,	perfecta (Walker)	CT, ME, NC,
	LA, LB, ME,	, ,	NS, NY, ON, PA,
	MS, NS, O11, PA, QB, SC, TN,		QB, VA, WV
	TX, VA, WV	Podmosta	
puebla Baumann	MX	decepta (Frison)	AB, AK, BC, CO,
reinerti Baumann	MX	weet pia (1 1150ff)	ID, MT, OR, UT,
varshava (Ricker)	IL, IN, KY, PA,		WA
	WI	delicatula (Claassen)	AB, BC, CA, CO,
venusta (Banks)	AZ, MX		ID, MT, NM,
wui (Claassen)	CT, DE, GA,		NV, OR, SK, UT,
	KY, MA, ME,		WY
	NC, NJ, NS,	macdunnoughi (Ricker)	LB, ME, NF,
	NW, NY, PA,		NS, QB
	QB, SC, TN, VA,	obscura (Frison)	OR, WA
	WV	weberi (Ricker)	AK, YK
Malenka		Prostoia	
bifurcata (Claassen)	OR, WA	besametsa (Ricker)	AB, BC, CA, CO,
biloba (Claassen)	CA		ID, MT, NM,
ealifornica (Claassen)	AB, BC, CA, CO,		NV, OR, UT, WY
	ID, MB, MT,	completa (Walker)	AL, AR, DE, IL,
	NV, SK, UT, WY		MA, ME, MI,
coloradensis (Banks)	AZ, CO, NM,		MN, MO, MS,
cornuta (Claassen)	SD, UT, WY		NC, NS, OK,
depressa (Banks)	BC, OR, WA CA, OR		ON, QB, SC, VA, WI, WV
acpressu (Danks)	O/I, OII		YY 1, YY Y

300			
hallasi Kondratieff & Kirchner similis (Hagen)	VA CT, DE, IN, KY, MA, ME, MI, MN, OH, QB,	Oemopteryx contorta (Needham & Claassen)	CT, KY, MA, ME, NH, TN, VA, WV
	SC, VA, WI, WV	fosketti (Ricker)	AB, CO, MB,
Shipsa rotunda (Claassen)	AB, AK, AL,	glacialis (Newport)	MT, SK, UT CT, MN, NY, ON, QB, WI
	MB, MD, ME, MI, MN, NT,	vanduzeea (Claassen)	CA CA
	ON, QB, SC, SK, VA, WI	Strophopteryx	NO THE WAR NEW
		appalachia Ricker & Ross	NC, TN, VA, WV
Soyedina carolinensis (Claassen)	DE, NC, TN,	arkansae Ricker & Ross cucullata Frison	AR, MO OK
	VA, WV	fasciata (Burmeister)	AL, CT, DE, IN,
interrupta (Claassen)	BC, OR, WA	Justinia (Burmeister)	KS, KY, MB,
nevadensis (Claassen)	CA, NV		ME, MN, MS,
potteri (Baumann & Gaufin)	ID, MT BC, CA, OR, WA		NC, ND, OH,
producta (Claassen)	CT, IN, KY, ME,		OK, PA, QB, SC,
vallicularia (Wu)	MI, NS, NY,		WI
	OH, ON, PA,	inaya Ricker & Ross	NC, SC
	OB, VA, WI, WV	limata (Frison)	TN, VA
1 (Cl )	CT, ME, NH, PA	ostra Ricker & Ross	AR, OK, TX
washingtoni (Claassen)	G1, ML, MI, III		
Visoka	in no oi in	Taenionema	om KV I D MA
cataractae (Neave)	AB, BC, CA, ID,	atlanticum Ricker & Ross	CT, KY, LB, MA,
	MT, OR, WA		MD, ME, NC,
Zapada			NF, NH, NY, QB, TN, VA, WV
chila (Ricker)	TN		
cinctipes (Banks)	AK, BC, CA,	californicum (Needham & Claass	sen/CA
•	CO, ID, MB,	grinnelli (Banks)	CA
	MT, NM, NV,	nigripenne (Banks)	AB, AZ, BC, CA,
	SD, SK, UT, WY		CO, ID, MT,
columbiana (Claassen)	AB, AK, BC, CA,		NM, NV, OR, UT, WA, WY
	ID, MT, OR, UT,	av n e Cl	
	WA, WY	oregonense (Needham & Claasse	AB, AZ, BC, CA,
cordillera (Baumann & Gaufin)	CA, ID, MT, OR,	pacificum (Banks)	CO, ID, MT,
C 1 (C)	WA AB, AK, BC, CA,		NM, OR, UT,
frigida (Claassen)	CO, ID, MT,		WA, WY
	NM, NV, OR,	H: A (Panks)	BC, CA, CO,
	UT, WA	pallidum (Banks)	MT, NM, OR,
glacier (Baumann & Gaufin)	MT		UT, WA
haysi (Ricker)	AB, AK, BC, CA,	raynorium (Claassen)	CA
nagsi (tuckei)	CO, ID, MT,	rugnorum (Glacosen)	
	NM, NV, OR,	Taeniopterygii	nae
	UT, WA, WY	m	
oregonensis (Claassen)	AB, AK, BC, CA,	Taeniopteryx	AL, CT, DE, FL,
	CO, ID, MT,	burksi Ricker & Ross	IA, IL, IN, KS,
	NV, OR, WY, YK		KY, LA, MD,
wahkeena (Jewett)	OR		ME, MN, MO,
Totaloni	daa		MS, OH, OK,
Taeniopterygi			ON, PA, QB,
Brachypteryii	iae		TN, TX, VA, WI,
Bolotoperla	ME, NC, NH,	lita Frison	AL, AR, FL, IL,
rossi (Frison)	QB, VA, WV	ma Phson	IN, KY, LA, MS,
	ξυ,,		NC, NJ, SC, TX,
Doddsia	AT DC CA		VA
occidentalis (Banks)	AK, BC, CA,	lonicera Ricker & Ross	AL, FL, GA, LA,
	CO, ID, MT, NM, NV, OR,	tometra racket & ross	MD, MS, SC,
	UT, WA, WY		TN, TX, VA
	O 1, 11/1, 11 1		

	maura (Pictet)	AL, AR, CT, DE, GA, IN, KY, MA,	leonarda Ricker	ME, MI, MN, MO, QB
		MD, ME, MN, MS, NC, OH,	medveda Ricker	AB, BC, ID, MT, WY, YK
		PA, SC, TN, TX, VA, WV	nanina Banks	GA, NC, NY, SC, TN, VA
	, 'P' 1 & P	AL, AR, IL, IN,	natchez Surdick & Stark	MS
	metequi Ricker & Ross			
		KS, KY, OH,	neglecta Frison	NC, NF, NY,
		OK, ON, PA,		ON, PA, TN, VA
		VA, WV	ouachita Stark & Stewart	AR
	nelsoni Kondratieff & Kirchner	VA	pilosa Needham & Claassen	CO
	nivalis (Fitch)	AB, CA, CT, DE,	<i>roberti</i> Surdick	IL
		ID, IL, IN, MB,	serrata Needham & Claassen	AB, AK, BC, ID,
		ME, MN, NY,		MT, WA, WY
		ON, OR, PA,	severa (Hagen)	AB, AK, BC, CA,
		OB, SK, UT, WI		CO, ID, MT,
	parvula Banks	AB, AR, CT, GA,		NT, NV, OR,
	per cuta banks	IN, KY, MB,		UT, WA, WY
		ME, MI, MN,	usa Ricker	GA, SC, TN, VA,
		MS, NY, OH,	nsa mekei	WV
			n: 1	
		ON, PA, QB, SC,	voinae Ricker	MA, ME, NS,
		TN, VA, WI, WV		NY, QB, VT
	pecos Baumann & Jacobi	NM	vostoki Ricker	NS, NY, PA
	robinae Kondratieff & Kirchner	SC	Bisancora	
	starki Stewart & Szczytko	TX	pastina (Jewett)	CA, OR
	ugola Ricker & Ross	GA, TN, VA, WV		
	0		rutriformis Surdick	CA
	Systellognatha		Chloroperla	
	SISIELLOGNATHA		ovibovis (Ricker)	AK, NT
	Chloroperlidae			
	Chioroperiidae		Haploperla	
	Chloroperlinae		brevis (Banks)	AB, AL, AR, BC,
	Cinoroperinae			CT, DE, GA, IL,
				CI, DE, GA, IL,
A	lloperla			IN, KY, MA,
A	lloperla acadiana Harper	NW		
A	acadiana Harper	NW WV		IN, KY, MA, MB, MD, ME,
A		WV		IN, KY, MA, MB, MD, ME, MI, MN, MO,
A	acadiana Harper aracoma Harper & Kirchner	WV CT, GA, IN, MA,		IN, KY, MA, MB, MD, ME, MI, MN, MO, NC, NJ, NS,
A	acadiana Harper aracoma Harper & Kirchner	WV CT, GA, IN, MA, MD, ME, MI,		IN, KY, MA, MB, MD, ME, MI, MN, MO, NC, NJ, NS, NW, NY, OH,
A	acadiana Harper aracoma Harper & Kirchner	WV CT, GA, IN, MA, MD, ME, MI, MN, NC, NH,		IN, KY, MA, MB, MD, ME, MI, MN, MO, NC, NJ, NS, NW, NY, OH, OK, ON, PA,
A	acadiana Harper aracoma Harper & Kirchner	WV CT, GA, IN, MA, MD, ME, MI, MN, NC, NH, NS, NW, NY,		IN, KY, MA, MB, MD, ME, MI, MN, MO, NC, NJ, NS, NW, NY, OH, OK, ON, PA, QB, SC, SK, TN,
A	acadiana Harper aracoma Harper & Kirchner	WV CT, GA, IN, MA, MD, ME, MI, MN, NC, NH, NS, NW, NY, ON, PA, QB, SC,		IN, KY, MA, MB, MD, ME, MI, MN, MO, NC, NJ, NS, NW, NY, OH, OK, ON, PA, QB, SC, SK, TN, VA, WI, WV
A	acadiana Harper aracoma Harper & Kirchner atlantica Baumann	WV CT, GA, IN, MA, MD, ME, MI, MN, NC, NH, NS, NW, NY, ON, PA, QB, SC, TN, VA, VT	<i>chilnualna</i> (Ricker)	IN, KY, MA, MB, MD, ME, MI, MN, MO, NC, NJ, NS, NW, NY, OH, OK, ON, PA, QB, SC, SK, TN, VA, WI, WV BC, CA, OR, WA
A	acadiana Harper aracoma Harper & Kirchner	WV CT, GA, IN, MA, MD, ME, MI, MN, NC, NH, NS, NW, NY, ON, PA, QB, SC, TN, VA, VT IL, ME, MI, NS,	chukcho (Surdick & Stark)	IN, KY, MA, MB, MD, ME, MI, MN, MO, NC, NJ, NS, NW, NY, OH, OK, ON, PA, QB, SC, SK, TN, VA, WI, WV BC, CA, OR, WA MS
A	acadiana Harper aracoma Harper & Kirchner atlantica Baumann banksi Frison	WV CT, GA, IN, MA, MD, ME, MI, MN, NC, NH, NS, NW, NY, ON, PA, QB, SC, TN, VA, VT IL, ME, MI, NS, NY, ON, VA		IN, KY, MA, MB, MD, ME, MI, MN, MO, NC, NJ, NS, NW, NY, OH, OK, ON, PA, QB, SC, SK, TN, VA, WI, WV BC, CA, OR, WA MS ME, MN, ND,
A	acadiana Harper aracoma Harper & Kirchner atlantica Baumann  banksi Frison biserrata Nelson & Kondratieff	WV CT, GA, IN, MA, MD, ME, MI, MN, NC, NH, NS, NW, NY, ON, PA, QB, SC, TN, VA, VT IL, ME, MI, NS, NY, ON, VA	chukcho (Surdick & Stark)	IN, KY, MA, MB, MD, ME, MI, MN, MO, NC, NJ, NS, NW, NY, OH, OK, ON, PA, QB, SC, SK, TN, VA, WI, WV BC, CA, OR, WA MS
A	acadiana Harper aracoma Harper & Kirchner atlantica Baumann banksi Frison	WV CT, GA, IN, MA, MD, ME, MI, MN, NC, NH, NS, NW, NY, ON, PA, QB, SC, TN, VA, VT IL, ME, MI, NS, NY, ON, VA VA AR, CT, IL, IN,	chukcho (Surdick & Stark) orpha (Frison)	IN, KY, MA, MB, MD, ME, MI, MN, MO, NC, NJ, NS, NW, NY, OH, OK, ON, PA, QB, SC, SK, TN, VA, WI, WV BC, CA, OR, WA MS ME, MN, ND,
A	acadiana Harper aracoma Harper & Kirchner atlantica Baumann  banksi Frison biserrata Nelson & Kondratieff	WV CT, GA, IN, MA, MD, ME, MI, MN, NC, NH, NS, NW, NY, ON, PA, QB, SC, TN, VA, VT IL, ME, MI, NS, NY, ON, VA	chukcho (Surdick & Stark) orpha (Frison)  Neaviperla	IN, KY, MA, MB, MD, ME, MI, MN, MO, NC, NJ, NS, NW, NY, OH, OK, ON, PA, QB, SC, SK, TN, VA, WI, WV BC, CA, OR, WA MS ME, MN, ND, NW, QB, WI
A	acadiana Harper aracoma Harper & Kirchner atlantica Baumann  banksi Frison biserrata Nelson & Kondratieff	WV CT, GA, IN, MA, MD, ME, MI, MN, NC, NH, NS, NW, NY, ON, PA, QB, SC, TN, VA, VT IL, ME, MI, NS, NY, ON, VA VA AR, CT, IL, IN,	chukcho (Surdick & Stark) orpha (Frison)	IN, KY, MA, MB, MD, ME, MI, MN, MO, NC, NJ, NS, NW, NY, OH, OK, ON, PA, QB, SC, SK, TN, VA, WI, WV BC, CA, OR, WA MS ME, MN, ND, NW, QB, WI AB, AK, BC,
A	acadiana Harper aracoma Harper & Kirchner atlantica Baumann  banksi Frison biserrata Nelson & Kondratieff	WV CT, GA, IN, MA, MD, ME, MI, MN, NC, NH, NS, NW, NY, ON, PA, QB, SC, TN, VA, VT IL, ME, MI, NS, NY, ON, VA VA AR, CT, IL, IN, MA, ME, MO,	chukcho (Surdick & Stark) orpha (Frison)  Neaviperla	IN, KY, MA, MB, MD, ME, MI, MN, MO, NC, NJ, NS, NW, NY, OH, OK, ON, PA, QB, SC, SK, TN, VA, WI, WV BC, CA, OR, WA MS ME, MN, ND, NW, QB, WI
A	acadiana Harper aracoma Harper & Kirchner atlantica Baumann  banksi Frison biserrata Nelson & Kondratieff caudata Frison	WV CT, GA, IN, MA, MD, ME, MI, MN, NC, NH, NS, NW, NY, ON, PA, QB, SC, TN, VA, VT IL, ME, MI, NS, NY, ON, VA VA AR, CT, IL, IN, MA, ME, MO, NF, NS, OH, OK, QB, VA	chukcho (Surdick & Stark) orpha (Frison)  Neaviperla forcipata (Neave)	IN, KY, MA, MB, MD, ME, MI, MN, MO, NC, NJ, NS, NW, NY, OH, OK, ON, PA, QB, SC, SK, TN, VA, WI, WV BC, CA, OR, WA MS ME, MN, ND, NW, QB, WI AB, AK, BC,
A	acadiana Harper aracoma Harper & Kirchner atlantica Baumann  banksi Frison biserrata Nelson & Kondratieff caudata Frison chandleri Jewett	WV CT, GA, IN, MA, MD, ME, MI, MN, NC, NH, NS, NW, NY, ON, PA, QB, SC, TN, VA, VT IL, ME, MI, NS, NY, ON, VA VA AR, CT, IL, IN, MA, ME, MO, NF, NS, OH, OK, QB, VA CA	chukcho (Surdick & Stark) orpha (Frisoa)  Neaviperla forcipata (Neave)	IN, KY, MA, MB, MD, ME, MI, MN, MO, NC, NJ, NS, NW, NY, OH, OK, ON, PA, QB, SC, SK, TN, VA, WI, WV BC, CA, OR, WA MS ME, MN, ND, NW, QB, WI  AB, AK, BC, MT, WA
A	acadiana Harper aracoma Harper & Kirchner atlantica Baumann  banksi Frison biserrata Nelson & Kondratieff caudata Frison	WV CT, GA, IN, MA, MD, ME, MI, MN, NC, NH, NS, NW, NY, ON, PA, QB, SC, TN, VA, VT IL, ME, MI, NS, NY, ON, VA VA AR, CT, IL, IN, MA, ME, MO, NF, NS, OH, OK, QB, VA CA CT, KY, MA,	chukcho (Surdick & Stark) orpha (Frison)  Neaviperla forcipata (Neave)	IN, KY, MA, MB, MD, ME, MI, MN, MO, NC, NJ, NS, NW, NY, OH, OK, ON, PA, QB, SC, SK, TN, VA, WI, WV BC, CA, OR, WA MS ME, MN, ND, NW, QB, WI  AB, AK, BC, MT, WA  AB, AK, BC, CA,
A	acadiana Harper aracoma Harper & Kirchner atlantica Baumann  banksi Frison biserrata Nelson & Kondratieff caudata Frison chandleri Jewett	WV CT, GA, IN, MA, MD, ME, MI, MN, NC, NH, NS, NW, NY, ON, PA, QB, SC, TN, VA, VT IL, ME, MI, NS, NY, ON, VA VA AR, CT, IL, IN, MA, ME, MO, NF, NS, OH, OK, QB, VA CA CT, KY, MA, ME, NY, OH,	chukcho (Surdick & Stark) orpha (Frisoa)  Neaviperla forcipata (Neave)	IN, KY, MA, MB, MD, ME, MI, MN, MO, NC, NJ, NS, NW, NY, OH, OK, ON, PA, QB, SC, SK, TN, VA, WI, WV BC, CA, OR, WA MS ME, MN, ND, NW, QB, WI  AB, AK, BC, MT, WA  AB, AK, BC, CA, CO, ID, MT,
A	acadiana Harper aracoma Harper & Kirchner atlantica Baumann  banksi Frison biserrata Nelson & Kondratieff caudata Frison  chandleri Jewett chloris Frison	WV CT, GA, IN, MA, MD, ME, MI, MN, NC, NH, NS, NW, NY, ON, PA, QB, SC, TN, VA, VT IL, ME, MI, NS, NY, ON, VA VA AR, CT, IL, IN, MA, ME, MO, NF, NS, OH, OK, QB, VA CA CT, KY, MA, ME, NY, OH, QB, VA, WV	chukcho (Surdick & Stark) orpha (Frisoa)  Neaviperla forcipata (Neave)	IN, KY, MA, MB, MD, ME, MI, MN, MO, NC, NJ, NS, NW, NY, OH, OK, ON, PA, QB, SC, SK, TN, VA, WI, WV BC, CA, OR, WA MS ME, MN, ND, NW, QB, WI  AB, AK, BC, MT, WA  AB, AK, BC, CA, CO, ID, MT, NV, OR, UT,
A	acadiana Harper aracoma Harper & Kirchner atlantica Baumann  banksi Frison biserrata Nelson & Kondratieff caudata Frison chandleri Jewett	WV CT, GA, IN, MA, MD, ME, MI, MN, NC, NH, NS, NW, NY, ON, PA, QB, SC, TN, VA, VT IL, ME, MI, NS, NY, ON, VA VA AR, CT, IL, IN, MA, ME, MO, NF, NS, OH, OK, QB, VA CA CT, KY, MA, ME, NY, OH, QB, VA, WV CT, MA, ME, CT, MA, ME,	chukcho (Surdick & Stark) orpha (Frisoa)  Neaviperla forcipata (Neave)  Plumaperla diversa (Frison)	IN, KY, MA, MB, MD, ME, MI, MN, MO, NC, NJ, NS, NW, NY, OH, OK, ON, PA, QB, SC, SK, TN, VA, WI, WV BC, CA, OR, WA MS ME, MN, ND, NW, QB, WI  AB, AK, BC, MT, WA  AB, AK, BC, CA, CO, ID, MT, NV, OR, UT, WA, YK
A	acadiana Harper aracoma Harper & Kirchner atlantica Baumann  banksi Frison biserrata Nelson & Kondratieff caudata Frison  chandleri Jewett chloris Frison	WV CT, GA, IN, MA, MD, ME, MI, MN, NC, NH, NS, NW, NY, ON, PA, QB, SC, TN, VA, VT IL, ME, MI, NS, NY, ON, VA VA AR, CT, IL, IN, MA, ME, MO, NF, NS, OH, OK, QB, VA CA CT, KY, MA, ME, NY, OH, QB, VA, WV CT, MA, ME, NF, ON, PA,	chukcho (Surdick & Stark) orpha (Frisoa)  Neaviperla forcipata (Neave)	IN, KY, MA, MB, MD, ME, MI, MN, MO, NC, NJ, NS, NW, NY, OH, OK, ON, PA, QB, SC, SK, TN, VA, WI, WV BC, CA, OR, WA MS ME, MN, ND, NW, QB, WI  AB, AK, BC, MT, WA  AB, AK, BC, CA, CO, ID, MT, NV, OR, UT,
A	acadiana Harper aracoma Harper & Kirchner atlantica Baumann  banksi Frison biserrata Nelson & Kondratieff caudata Frison  chandleri Jewett chloris Frison  concolor Ricker	WV CT, GA, IN, MA, MD, ME, MI, MN, NC, NH, NS, NW, NY, ON, PA, QB, SC, TN, VA, VT IL, ME, MI, NS, NY, ON, VA VA AR, CT, IL, IN, MA, ME, MO, NF, NS, OH, OK, QB, VA CA CT, KY, MA, ME, NY, OH, QB, VA, WV CT, MA, ME, NF, ON, PA, QB, VA	chukcho (Surdick & Stark) orpha (Frisoa)  Neaviperla forcipata (Neave)  Plumaperla diversa (Frison)	IN, KY, MA, MB, MD, ME, MI, MN, MO, NC, NJ, NS, NW, NY, OH, OK, ON, PA, QB, SC, SK, TN, VA, WI, WV BC, CA, OR, WA MS ME, MN, ND, NW, QB, WI  AB, AK, BC, MT, WA  AB, AK, BC, CA, CO, ID, MT, NV, OR, UT, WA, YK
A	acadiana Harper aracoma Harper & Kirchner atlantica Baumann  banksi Frison biserrata Nelson & Kondratieff caudata Frison  chandleri Jewett chloris Frison	WV CT, GA, IN, MA, MD, ME, MI, MN, NC, NH, NS, NW, NY, ON, PA, QB, SC, TN, VA, VT IL, ME, MI, NS, NY, ON, VA VA AR, CT, IL, IN, MA, ME, MO, NF, NS, OH, OK, QB, VA CA CT, KY, MA, ME, NY, OH, QB, VA, WV CT, MA, ME, NF, ON, PA, QB, VA QB, VA AB, BC, CA, ID,	chukcho (Surdick & Stark) orpha (Frisoa)  Neaviperla forcipata (Neave)  Plumaperla diversa (Frison)  spinosa (Surdick) Rasvena	IN, KY, MA, MB, MD, ME, MI, MN, MO, NC, NJ, NS, NW, NY, OH, OK, ON, PA, QB, SC, SK, TN, VA, WI, WV BC, CA, OR, WA MS ME, MN, ND, NW, QB, WI  AB, AK, BC, MT, WA  AB, AK, BC, CA, CO, ID, MT, NV, OR, UT, WA, YK
A	acadiana Harper aracoma Harper & Kirchner atlantica Baumann  banksi Frison biserrata Nelson & Kondratieff candata Frison  chandleri Jewett chloris Frison  concolor Ricker delicata Frison	WV CT, GA, IN, MA, MD, ME, MI, MN, NC, NH, NS, NW, NY, ON, PA, QB, SC, TN, VA, VT IL, ME, MI, NS, NY, ON, VA VA AR, CT, IL, IN, MA, ME, MO, NF, NS, OH, OK, QB, VA CA CT, KY, MA, ME, NY, OH, QB, VA, WV CT, MA, ME, NF, ON, PA, QB, VA AB, BC, CA, ID, MT, OR	chukcho (Surdick & Stark) orpha (Frisoa)  Neaviperla forcipata (Neave)  Plumaperla diversa (Frison)  spinosa (Surdick)	IN, KY, MA, MB, MD, ME, MI, MN, MO, NC, NJ, NS, NW, NY, OH, OK, ON, PA, QB, SC, SK, TN, VA, WI, WV BC, CA, OR, WA MS ME, MN, ND, NW, QB, WI  AB, AK, BC, MT, WA  AB, AK, BC, CA, CO, ID, MT, NV, OR, UT, WA, YK CA
A	acadiana Harper aracoma Harper & Kirchner atlantica Baumann  banksi Frison biserrata Nelson & Kondratieff caudata Frison  chandleri Jewett chloris Frison  concolor Ricker	WV CT, GA, IN, MA, MD, ME, MI, MN, NC, NH, NS, NW, NY, ON, PA, QB, SC, TN, VA, VT IL, ME, MI, NS, NY, ON, VA VA AR, CT, IL, IN, MA, ME, MO, NF, NS, OH, OK, QB, VA CA CT, KY, MA, ME, NY, OH, QB, VA, WV CT, MA, ME, NF, ON, PA, QB, VA AB, BC, CA, ID, MT, OR AK, BC, CA, OR,	chukcho (Surdick & Stark) orpha (Frison)  Neaviperla forcipata (Neave)  Plumaperla diversa (Frison)  spinosa (Surdick)  Rasvena terna (Frison)	IN, KY, MA, MB, MD, ME, MI, MN, MO, NC, NJ, NS, NW, NY, OH, OK, ON, PA, QB, SC, SK, TN, VA, WI, WV BC, CA, OR, WA MS ME, MN, ND, NW, QB, WI  AB, AK, BC, MT, WA  AB, AK, BC, CA, CO, ID, MT, NV, OR, UT, WA, YK CA
A	acadiana Harper aracoma Harper & Kirchner atlantica Baumann  banksi Frison biserrata Nelson & Kondratieff caudata Frison  chandleri Jewett chloris Frison  concolor Ricker delicata Frison  fraterna Frison	WV CT, GA, IN, MA, MD, ME, MI, MN, NC, NH, NS, NW, NY, ON, PA, QB, SC, TN, VA, VT IL, ME, MI, NS, NY, ON, VA VA AR, CT, IL, IN, MA, ME, MO, NF, NS, OH, OK, QB, VA CA CT, KY, MA, ME, NY, OH, QB, VA, WV CT, MA, ME, NF, ON, PA, QB, VA AB, BC, CA, ID, MT, OR AK, BC, CA, OR, WA	chukcho (Surdick & Stark) orpha (Frison)  Neaviperla forcipata (Neave)  Plumaperla diversa (Frison)  spinosa (Surdick)  Rasvena terna (Frison)  Suwallia	IN, KY, MA, MB, MD, ME, MI, MN, MO, NC, NJ, NS, NW, NY, OH, OK, ON, PA, QB, SC, SK, TN, VA, WI, WV BC, CA, OR, WA MS ME, MN, ND, NW, QB, WI  AB, AK, BC, MT, WA  AB, AK, BC, CA, CO, ID, MT, NV, OR, UT, WA, YK CA
A	acadiana Harper aracoma Harper & Kirchner atlantica Baumann  banksi Frison biserrata Nelson & Kondratieff caudata Frison  chandleri Jewett chloris Frison  concolor Ricker delicata Frison fraterna Frison  furcula Surdick	WV CT, GA, IN, MA, MD, ME, MI, MN, NC, NH, NS, NW, NY, ON, PA, QB, SC, TN, VA, VT IL, ME, MI, NS, NY, ON, VA VA AR, CT, IL, IN, MA, ME, MO, NF, NS, OH, OK, QB, VA CA CT, KY, MA, ME, NY, OH, QB, VA, WV CT, MA, ME, NF, ON, PA, QB, VA AB, BC, CA, ID, MT, OR AK, BC, CA, OR, WA SC	chukcho (Surdick & Stark) orpha (Frison)  Neaviperla forcipata (Neave)  Plumaperla diversa (Frison)  spinosa (Surdick)  Rasvena terna (Frison)	IN, KY, MA, MB, MD, ME, MI, MN, MO, NC, NJ, NS, NW, NY, OH, OK, ON, PA, QB, SC, SK, TN, VA, WI, WV BC, CA, OR, WA MS ME, MN, ND, NW, QB, WI  AB, AK, BC, MT, WA  AB, AK, BC, CA, CO, ID, MT, NV, OR, UT, WA, YK CA  NH, NY, TN, VT, WV  AB, BC, CA, ID,
A	acadiana Harper aracoma Harper & Kirchner atlantica Baumann  banksi Frison biserrata Nelson & Kondratieff candata Frison  chandleri Jewett chloris Frison  concolor Ricker  delicata Frison  furcula Surdick hamata Surdick	WV CT, GA, IN, MA, MD, ME, MI, MN, NC, NH, NS, NW, NY, ON, PA, QB, SC, TN, VA, VT IL, ME, MI, NS, NY, ON, VA VA AR, CT, IL, IN, MA, ME, MO, NF, NS, OH, OK, QB, VA CA CT, KY, MA, ME, NY, OH, QB, VA, WV CT, MA, ME, NF, ON, PA, QB, VA AB, BC, CA, ID, MT, OR AK, BC, CA, OR, WA	chukcho (Surdick & Stark) orpha (Frison)  Neaviperla forcipata (Neave)  Plumaperla diversa (Frison)  spinosa (Surdick)  Rasvena terna (Frison)  Suwallia	IN, KY, MA, MB, MD, ME, MI, MN, MO, NC, NJ, NS, NW, NY, OH, OK, ON, PA, QB, SC, SK, TN, VA, WI, WV BC, CA, OR, WA MS ME, MN, ND, NW, QB, WI  AB, AK, BC, MT, WA  AB, AK, BC, CA, CO, ID, MT, NV, OR, UT, WA, YK CA  NH, NY, TN, VT, WV  AB, BC, CA, ID, MT, OR, WA,
A	acadiana Harper aracoma Harper & Kirchner atlantica Baumann  banksi Frison biserrata Nelson & Kondratieff caudata Frison  chandleri Jewett chloris Frison  concolor Ricker delicata Frison fraterna Frison  furcula Surdick	WV CT, GA, IN, MA, MD, ME, MI, MN, NC, NH, NS, NW, NY, ON, PA, QB, SC, TN, VA, VT IL, ME, MI, NS, NY, ON, VA VA AR, CT, IL, IN, MA, ME, MO, NF, NS, OH, OK, QB, VA CA CT, KY, MA, ME, NY, OH, QB, VA, WV CT, MA, ME, NF, ON, PA, QB, VA AB, BC, CA, ID, MT, OR AK, BC, CA, OR, WA SC	chukcho (Surdick & Stark) orpha (Frison)  Neaviperla forcipata (Neave)  Plumaperla diversa (Frison)  spinosa (Surdick)  Rasvena terna (Frison)  Suwallia	IN, KY, MA, MB, MD, ME, MI, MN, MO, NC, NJ, NS, NW, NY, OH, OK, ON, PA, QB, SC, SK, TN, VA, WI, WV BC, CA, OR, WA MS ME, MN, ND, NW, QB, WI  AB, AK, BC, MT, WA  AB, AK, BC, CA, CO, ID, MT, NV, OR, UT, WA, YK CA  NH, NY, TN, VT, WV  AB, BC, CA, ID, MT, OR, WA, WY
A	acadiana Harper aracoma Harper & Kirchner atlantica Baumann  banksi Frison biserrata Nelson & Kondratieff candata Frison  chandleri Jewett chloris Frison  concolor Ricker  delicata Frison  furcula Surdick hamata Surdick	WV CT, GA, IN, MA, MD, ME, MI, MN, NC, NH, NS, NW, NY, ON, PA, QB, SC, TN, VA, VT IL, ME, MI, NS, NY, ON, VA VA AR, CT, IL, IN, MA, ME, MO, NF, NS, OH, OK, QB, VA CA CT, KY, MA, ME, NY, OH, QB, VA, WV CT, MA, ME, NF, ON, PA, QB, VA AB, BC, CA, ID, MT, OR AK, BC, CA, OR, WA SC AL, AR, MO	chukcho (Surdick & Stark) orpha (Frison)  Neaviperla forcipata (Neave)  Plumaperla diversa (Frison)  spinosa (Surdick)  Rasvena terna (Frison)  Suwallia	IN, KY, MA, MB, MD, ME, MI, MN, MO, NC, NJ, NS, NW, NY, OH, OK, ON, PA, QB, SC, SK, TN, VA, WI, WV BC, CA, OR, WA MS ME, MN, ND, NW, QB, WI  AB, AK, BC, MT, WA  AB, AK, BC, CA, CO, ID, MT, NV, OR, UT, WA, YK CA  NH, NY, TN, VT, WV  AB, BC, CA, ID, MT, OR, WA,
A	acadiana Harper aracoma Harper & Kirchner atlantica Baumann  banksi Frison biserrata Nelson & Kondratieff caudata Frison  chandleri Jewett chloris Frison  concolor Ricker  delicata Frison  furcula Surdick hamata Surdick idei (Ricker)	WV CT, GA, IN, MA, MD, ME, MI, MN, NC, NH, NS, NW, NY, ON, PA, QB, SC, TN, VA, VT IL, ME, MI, NS, NY, ON, VA VA AR, CT, IL, IN, MA, ME, MO, NF, NS, OH, OK, QB, VA CA CT, KY, MA, ME, NY, OH, QB, VA, WV CT, MA, ME, NF, ON, PA, QB, VA QB, VA SC AL, AR, MO KY, ME, OH, QB, VA, WW CT, MA, ME, NF, ON, PA, QB, VA CB,	chukcho (Surdick & Stark) orpha (Frison)  Neaviperla forcipata (Neave)  Plumaperla diversa (Frison)  spinosa (Surdick)  Rasvena terna (Frison)  Suwallia autumna (Hoppe)	IN, KY, MA, MB, MD, ME, MI, MN, MO, NC, NJ, NS, NW, NY, OH, OK, ON, PA, QB, SC, SK, TN, VA, WI, WV BC, CA, OR, WA MS ME, MN, ND, NW, QB, WI  AB, AK, BC, MT, WA  AB, AK, BC, CA, CO, ID, MT, NV, OR, UT, WA, YK CA  NH, NY, TN, VT, WV  AB, BC, CA, ID, MT, OR, WA, WY
A	acadiana Harper aracoma Harper & Kirchner atlantica Baumann  banksi Frison biserrata Nelson & Kondratieff candata Frison  chandleri Jewett chloris Frison  concolor Ricker  delicata Frison  furcula Surdick hamata Surdick	WV CT, GA, IN, MA, MD, ME, MI, MN, NC, NH, NS, NW, NY, ON, PA, QB, SC, TN, VA, VT IL, ME, MI, NS, NY, ON, VA VA AR, CT, IL, IN, MA, ME, MO, NF, NS, OH, OK, QB, VA CA CT, KY, MA, ME, NY, OH, QB, VA, WV CT, MA, ME, NF, ON, PA, QB, VA AB, BC, CA, ID, MT, OR AK, BC, CA, OR, WA SC AL, AR, MO KY, ME, OH,	chukcho (Surdick & Stark) orpha (Frison)  Neaviperla forcipata (Neave)  Plumaperla diversa (Frison)  spinosa (Surdick)  Rasvena terna (Frison)  Suwallia autumna (Hoppe)	IN, KY, MA, MB, MD, ME, MI, MN, MO, NC, NJ, NS, NW, NY, OH, OK, ON, PA, QB, SC, SK, TN, VA, WI, WV BC, CA, OR, WA MS ME, MN, ND, NW, QB, WI  AB, AK, BC, MT, WA  AB, AK, BC, CA, CO, ID, MT, NV, OR, UT, WA, YK CA  NH, NY, TN, VT, WV  AB, BC, CA, ID, MT, OR, WA, WY AB, AK, BC, CO, CO, CO, MA, WY AB, AK, BC, CO,

000	OREAT DASE	TATORALIST	voi. 40, 1vo. 5
lineosa (Banks)	BC, CO, ID,	Paraperlinae	
( )	MT, OR, SK,	•	
	UT, WA, WY	Kathroperla	an no or an
marginata (Banks)	LB, MA, ME,	perdita Banks	AB, BC, CA, ID,
. ,	NY, PA, QB, VA,		MT, NV, OR, WA
	WV, WI	Paraperla	
pallidula (Banks)	AB, AK, AZ, BC,	frontalis (Banks)	AB, AK, BC, CA,
,	CA, CO, ID,		CO, ID, MT, NM,
	MB, MT, NM,		OR, SD, UT, WA,
	NV, OR, UT,		WY, YK
	WA, WY	wilsoni Ricker	AB, BC, CA, ID,
0 1			MT, OR, WA, YK
Sweltsa	AD AD ACT HOS	Utaperla	
albertensis (Needham & Claassen)	AB, ID, MT, WY	gaspesiana Harper & Roy	NH, PA, QB,
borealis (Banks)	AB, AK, BC, CA,	g. ,	WV
	CO, ID, MT,	sopladora Ricker	AB, AK, BC, ID,
	NM, NV, OR,	·	MT, NV, UT,
	SD, UT, WA,		WY, YK
-1:C	WY, YK		,
californica (Jewett)	CA	Peltoperlidae	
coloradensis (Banks)	AB, AZ, BC, CA,	Peltoperlinae	
	CO, ID, MT,	·	
	NM, NV, OR,	Peltoperla	
	SD, UT, WA,	<i>arcuata</i> Needham	KY, NY, PA, QB,
\	WY		TN, VA, WV
continua (Banks)	CA AK DC OB WA	Sierraperla	
exquisita (Frison)	AK, BC, OR, WA AB, AK, BC, CA,	cora (Needham & Smith)	CA, NV, OR
fidelis (Banks)		Soliperla	,,
	CO, ID, NV,	campanula (Jewett)	OR
	MT, OR, UT,		WA
gaufini Baumann	WA, WY, YK ID, UT	fenderi (Jewett) quadrispinula (Jewett)	CA, OR
hondo Baumann & Jacobi	NM	sierra Stark	
lamba (Needham & Claassen)		thyra (Needham & Smith)	CA CA, NV
tamba (Needhani & Giaassen)	CO, ID, MT, NM, OR, UT,	tillamook Stark	OR
	WY WY		On
lateralis (Banks)	CT, GA, MA,	Tallaperla	
tateratio (Banks)	ME, NC, NH,	anna (Needham & Smith)	GA, NC, PA, SC,
	PA, QB, SC, VA	7. (2) 11 (2) (3)	VA,
mediana (Banks)	AL, CT, NC, PA,	cornelia (Needham & Smith)	FL, GA, NC, SC
(======================================	TN, VA	elisa Stark	NC, TN
naica (Provancher)	IN, LB, ME, NS,	laurie (Ricker)	GA, SC, TN
(,	NY, PA, QB, VA	lobata Stark	VA
occidens (Frison)	BC, ID, MT, OR,	maria (Needham & Smith)	CT, DE, GA,
, , , , , , , , , , , , , , , , , , , ,	WA		MA, MD, ME,
onkos (Ricker)	DE, KY, LB,		NC, NII, NY,
	ME, NC, NS,		PA, SC, TN, VA, WV
	NY, OH, ON,		***
	PA, QB, VA	Viehoperla	
oregonensis (Frison)	AK, BC, OR, WA	ada (Needham & Smith)	GA, NC, SC, TN
pacifica (Banks)	AK, BC, CA, ID,	Yoraperla	
	OR, WA	brevis (Banks)	AB, BC, CA, ID,
revelstoka (Jewett)	AB, BC, MT,		MT, NV, OR,
	OR, WA, WY		WA, WY
tamalpa (Ricker)	CA	mariana (Ricker)	BC, CA, OR, WA
townesi (Ricker)	CA, NV		
urticae (Ricker)	NC, VA	Perlidae	
Triznaka			
pintada (Ricker)	AZ, CA, CO, ID,	Acroneuriinae	
panaaa (McKer)		Acroneuriini	
	NM, NV, SD,		
signata (Banks)	UT, WA, WY AK, BC, CO, ID,	Acroneuria	AR AL CO CT
organia (Danks)		abnormis (Newman)	AB, AL, CO, CT,
	MT, NM, OR, SD, SK, UT,		DE, FL, GA, IA, IL, IN, KS, KY,
	WA, WY		LA, MA, MB,
			Lat, MA, MD,

	MD, ME, MI,	Eccoptura	
	MN, MS, MT,	xanthenes (Newman)	AL, CT, DE, FL,
	NB, NC, NM,		GA, KY, MD,
	NW, NY, OH,		MS, NC, OH,
	ON, PA, QB, SC,		PA, SC, TN, VA, WV
	SK, TN, UT, VA,		W
managa (Diotot)	WI, WV, WY	Hansonoperla	
arenosa (Pietet)	AL, DC, DE,	appalachia Nelson	MA, TN, WV
	FL, GA, LA,, MD, ME, MS,	Hesperoperla	
	NJ, PA, QB, SC,	hoguei Baumann & Stark	CA
	TX, VA, WV	pacifica (Banks)	AB, AK, AZ, BC,
arida (Hagen)	GA, NC, NJ, PA,	<i>p </i>	CA, CO, ID,
arata (Hagen)	TN		MT, NM, NV,
carolinensis (Banks)	CT, KY, MA, MB,		OR, SD, SK, UT,
carottachoto (Danko)	ME, MN, NC, NJ,		WA, WY
	NY, OH, ON, PA,	Perlesta	
	QB, SC, TN, VA,	frisoni Banks	NC, SC, TN
	WV	placida (Hagen)	AL, AR, AZ, CT,
evoluta Klapalek	AR, IL, IN, KS,	plactita (11agen)	
	KY, MI, MO,		DC, DE, FL, GA, IA, IL, IN,
	OH, OK, ON,		KS, KY, LA, MA,
	PA, TN, VA, WV		MB, ME, MO,
filicis Frison	AL, AR, GA, HL,		MS, NB, OH,
,	IN, KY, MD,		OK, ON, PA,
	MO, OH, SC,		QB, SC, SK, TN,
	TN, VA, WV		TX, UT, VA, WI,
flinti Stark & Gaufin	VA		WV, WY
internata (Walker)	AR, GA, IL, IN,	p 1: 11	,
	KY, MI, MN,	Perlinella	AL AD OT TH
	MO, OK, VA,	drymo (Newman)	AL, AR, CT, FL,
	WI, WV		IA, IL, IN, KS, KY, LA, MA,
lycorias (Newman)	AB, CT, IL, KY,		
	MB, ME, MI,		MD, ME, MI,
	MN, NY, OH,		MO, MS, NY, OH, OK, QB,
	ON, PA, QB, SK,		SC, TX, VA, WI,
1	TN, VA, WI, WV		WV
mela Frison	AL, AR, FL, GA,	ephyre (Newman)	AL, AR, CT, FL,
	IL, IN, KS, MO,	cprigre (see william)	IN, KY, LA, MD,
	MS, OK, PA, TX		MN, MO, MS,
<i>perplexa</i> Frison	AL, AR, DC,		NJ, OK, PA, SC,
	GA, IL, IN, KY,		VA, WI, WV
	MO, OH, OK, PA, TN, WV	fumipennis (Walsh)	AL, CT, FL, IL,
notoroi Starl- & Confin			MS, SC
petersi Stark & Gaufin	GA, TN		
Attaneuria		Anacroneuriini	
ruralis (Hagen)	AL, AL, DC, FL,	Anacroneuria	
	GA, IA, IL, IN.	wipukupa Baumann & Olson	AZ
	KS, MB, MD,		
	MN, MO, MS,	Perlinae	
	NC, PA, SC, TN,	Neoperlini	
	VA, WI	•	
Beloneuria		Neoperla carlsoni Stark & Baumann	FL, LA, MS,
georgiana (Banks)	GA, NC	cartsont Stark & Daumann	OK, SC, TX
jamesae Stark & Szczytko	AL	catharae Stark & Baumann	AR, OH, VA
stewarti Stark & Szczytko	NC, SC, TN	choctaw Stark & Baumann	OK, WV
Calineuria		clymene (Newman)	AL, CT, FL, GA,
californica (Banks)	AB, BC, CA, ID,	engine ne (i te mitan)	IN, KS, LA, MS,
	MT, OR, WA		NY, OK, ON,
Doroneuria			PA, QB, TX, VA,
baumanni Stark & Gaufin	BC, CA, NV,		WI, WV
	OR, WA	freytagi Stark & Baumann	AR, KY, ME,
theodora (Needham & Claassen)	AB, BC, 1D, MT,	5 0	NY, OH, ON,
,	UT, WY		SC, TN, VA

adunca Jewett

bellona Banks

baumanni Szczytko & Stewart

bifurcata Szczytko & Stewart

CA

CA

GA, NC

CA, ID, OR, WA

MN, NB, NH, NJ, NS, NW, OK, ON,

PA, QB, SC, SK. VA, WI, WV

002	OREAT DASIN	TATCHALIST	VOI. 40, IVO.
gaufini Stark & Baumann	IN, KY, OH	bilineata (Say)	CO, CT, IL, IN,
mainensis Banks	ME, OH	***	KS, KY, MA,
stewarti Stark & Baumann	AR, KY, ME,		MB, ME, MI,
	MS, OH, VA, WI		MN, MS, NB,
			NC, NF, NW,
Perlini			NY, OH, ON,
Agnetina			PA, QB, SK, VA,
capitata (Pictet)	CT, DC, DE,		WI, WV
	FL, GA, IN, KS,	burksi Frison	AR, IL, IN, KY,
	KY, LA, MA,		OH, WV
	MB, MD, ME,	conspicua Frison	IL
	MN, MO, MS,	cotta Ricker	MA, MI, ON,
	NC, NH, NY,		QB, SC, W1, WV
	OH, OK, ON,	coushatta Szczytko & Stewart	AR, DE, LA,
	PA, QB, SC, TN,		MS, OK, TX, VA
	VA, WI, WV	davisi James	AL
Claassenia		decepta Frison	IL, IN, OH, ON
sabulosa (Banks)	AB, AZ, BC, CA,	decolorata (Walker)	AK, BC, MB,
subutosu (Daliks)	CO, ID, MB,	1	NT, SK, YK
	MT, NM, OR,	denningi Jewett	CA
	QB, SD, SK, UT,	dicala Frison	CT, FL, IN, MA
	WA, WY		MB, ME, MI,
_	***************************************		MN, MO, ON,
Paragnetina			PA, QB, SC, TN,
fumosa (Banks)	AL, DC, FL,	July at N. L.	VA, WI, WV
	GA, LA, MS,	distincta Nelson	NC, SC, TN
	NC, SC, TX, VA	emarginata Harden & Mickel	MN
ichusa Stark & Szczytko	NC, SC, TN	extensa Claassen	NB
immarginata (Say)	CT, DE, GA,	francesca Harper	CT, MA, ME,
	MA, ME, NC,	f;; III;	NY, QB
	NH, NY, PA,	frisoni Illies	BC, CT, DE, IN
	QB, SC, TN, VA,		MB, ME, MN,
Laurania (Baulan)	WV		NS, NW, OH,
kansensis (Banks)	AL, FL, GA, IL,	fulva Claassen	QB, WI
	IN, KS, LA, MS, SC	Julua Claassell	AB, AZ, BC, CA,
media (Walker)	CT, DE, IN, KY,		CO, ID, MT, NM, NV, OR,
mean (warker)	MB, ME, MI,		UT, WA, WY
	MO, NH, OH,	fusca Needham & Claassen	AB, BC, ID, MT,
	ON, PA, QB, SK,	Justa Needhani & Claassen	OR, WA, WY, YK
	VA, WI, WV	gibbsae Harper	CT, NY, QB, WV
	****, ****, *** *	gravitans (Needham & Claassen)	OR, WA
Perlodidae		holochlora (Klapalek)	CT, DE, GA,
		notochiora (Kiapatek)	KY, MA, ME,
Isoperlinae			NC, NY, PA, QB
Calliperla			SC, TN, VA, WV
luctuosa (Banks)	CA, OR, WA	irregularis (Klapalek)	TX
Cascadoperla		jewetti Szczytko & Stewart	CO, TX
trictura (Hoppe)	BC, CA, ID, MT,	katmaiensis Szczytko & Stewart	AK
metara (Hoppe)	OR, WA	lata Frison	MA, ME, MI,
et.	On, wa		MN, NS, ON,
Clioperla			QB, TN, VA, WI
clio (Newman)	AL, AR, CT, DE,		WV
	FL, GA, IL, IN.	longiseta Banks	AB, BC, CO, IA,
	KY, MA, MD,		ID, IL, KS, MB,
	MI, MO, MS,		MN, MO, MT,
	NC, OH, OK,		NM, QB, SD,
	ON, PA, SC, TN,		SK, UT, WI, WY
	VA, WI, WV	major Nelson & Kondratieff	VA
Isoperla		marlynia (Needham & Claassen)	IL, IN, KS, KY,
acula Jewett	CA		MB, ME, MI,
adunca lewett	CA		MN NR NH NI

marmorata Needham & Claassen	CA, NV, OR, WA	Perlodinae	
maxana Harden & Mickel mohri Frison	MN AR, IL, KS, LA,	Arcynopterygini	
	MO, OK, PA	Arcynopteryx	
montana (Banks)	CT, DE, ME,	compacta (McLachlan)	AB, AK, BC, CO,
	MN, NH, NS, NY, ON, PA, QB		ME, MT, NII,
mormona Banks	AZ, BC, CA, CO,		SK, WY
	ID, MT, NM,	Frisonia	DC CA NIII
	OR, UT, WA,	picticeps (Hanson)	BC, CA, NV, OR, WA
namata Frison	WY AR, IN, KY, ME,	Модолого	010, 1171
namata Frison	MO, OH, PA,	Megarcys irregularis (Banks)	BC, WA
	VA, WV	signata (Hagen)	AK, BC, CO, ID,
nana (Walsh)	IL, IN, KY, OH,		MT, NM, NV,
orata Frison	ON, QB, WI CT, FL, ME,	subtruncata Hanson	UT, WY BC, ID, MT, OR,
orata i rison	MN, NC, NH,	subtruncata Hanson	WA
	NS, NW, NY,	watertoni (Ricker)	AB, BC, ID, MT
	OH, PA, QB, SC,	yosemite (Needham & Claassen)	CA, WA
ouachita Stark & Stewart	TN, VA, VT, WV AR, OK	Oroperla	
petersoni Needham & Christenson		<i>barbara</i> Needham	CA
•	ID, MT, SK, UT,	Perlinodes	
1.1 . (0)	WY, YK	aurea (Smith)	AB, CA, ID, MT,
phalerata (Smith)	CO, ID, NM, OR, SD, UT, WY		OR, WA, WY
pinta Frison	AB, BC, CA, CO,	Setvena	AD DC ID MT
,	ID, MT, OR, UT,	bradleyi (Smith) tibialis (Banks)	AB, BC, ID, MT BC, OR, WA
, , , (D. 1.)	WA, WY	wahkeena Stewart & Stanger	OR
quinquepunetata (Banks)	AB, BC, CA, CO, ID, MT, NM,	Skwala	
	NV, OR, SD, SK,	curvata (Hanson)	BC, ID, MT, OR,
	UT, WY		WA, WY
raineri Jewett	OR, WA	parallela (Frison)	AZ, BC, CA, CO,
richardsoni Frison	CT, IL, KY, MN, PA, WI, WV		ID, MB, MT, NM, NV, OR,
roguensis Szczytko & Stewart	CA, OR		SK, UT, WA, WY
sagittata Szczytko & Stewart	TX	D:-ll:-:	
signata (Banks)	CT, MB, ME,	Diploperlini 	
	MI, MN, NS, NW, NY, OH,	Baumannella alameda (Needham & Claassen)	CA
	OK, PA, QB, VA,		CA
	WI, WV	Cultus aestivalis (Needham & Claassen)	AZ, BC, CO, ID,
similis (Hagen)	CT, DE, KY, MA,	destruits (Aveculain & Claassen)	MT, NM, UT,
	MD, ME, NC, NH, PA, QB, SC,		WY, YK
	TN, VA, WV	decisus (Walker)	CT, GA, IN, KY,
slossonae (Banks)	CT, ME, MI,		ME, MI, NC, NY, OH, ON,
	MN, NH, NS, NW, NY, QB,		PA, QB, TN, VA,
	VA, WI	d man	WV
sobria (Hagen)	AB, AK, AZ, BC,	pilatus (Frison)	BC, CA, 1D, MT, OR, WA
	CA, CO, ID, MT,	tostonus (Ricker)	BC, CA, ID, MT,
	NM, NV, OR, UT, WA, WY, YK	,	OR, WA, WY
sordida Banks	AB, BC, CA, ID,	Diploperla	
	MT, OR, WA	duplicata (Banks)	AL, DE, GA,
tilasqua Szczytko & Stewart	OR		MS, SC, TN, VA, WV
transmarina (Newman)	AB, BC, CT, DE, KY, LB, MB, ME,	kanawholensis Kirchner	** Y
	MI, MN, NF, NJ,	& Kondratieff	WV
	NW, NY, ON, PA,	morgani Kondratieff & Voshell	VA, WV
	QB, SK, VA, WI, WV	robusta Stark & Gaufin	CT, IN, KY, OH, PA, VA, WV
	** *		III, YII, VV V

Kogotus		hansoni (Ricker)	CT, MA, MD,
nonus (Needham & Claassen)	BC, CA, ID, MT,		ME, NC, NS,
1 ( D 1 )	OR, WA, WY		NW, NY, PA,
modestus (Banks)	BC, CO, ID,	L	QB, VA, WV
	MT, NM, UT, WY	krumholzi (Ricker) olivaceus (Walker)	MB, MI, MN
0.1	** 1	onvaccus (warker)	MI, MN, ON, QB, WI
Osobenus	BC Ct OD WY	varians (Walsh)	IL, IN, MI, MN,
yakimae (Hoppe)	BC, CA, OR, WA		MS, SC, TN
Pictetiella		zionensis Hanson	AK, AZ, CO,
expansa (Banks)	CO, ID, MT,		NM, UT
	UT, WY	Malirekus	
Remenus		hastatus (Banks)	GA, KY, ME,
bilobatus (Needham & Claassen)	AL, CT, DE,		NC, NY, QB, SC,
	GA, KY, NC,		TN, VA, VT, WV
	NY, PA, SC, TN,	Oconoperla	
	VA, WV	innubila (Needham & Claassen)	NC, SC, TN
Rickera		Yugus	,
sorpta (Needham & Claassen)	CA, NV, OR, WA	arinus (Frison)	GA, NC, PA, SC,
			TN, VA, WV
Perlodini		bulbosus (Frison)	GA, NC, PA, SC,
Chernokrilus			TN, VA, WV
erratus (Claassen)	CA	Dr	
misnomus (Claassen)	CA, OR	Pteronarcyidae	
venustus (Jewett)	CA	Pteronarcyinae	
Diura		Pteronarcellini	
bicaudata (Linnaeus)	AK, MB, NT,	Pteronarcella	
(20)	SK, YK	badia (Hagen)	AB, AK, AZ, BC,
knowltoni (Frison)	AB, BC, CA, CO,	(Hugen)	CO, ID, MT,
	ID, MT, NM,		NM, NV, OR,
	NV, OR, SK, UT,		SK, UT, WY
	WY, YK	regularis (Hagen)	AB, AK, CA, NV,
nanseni (Kempny)	NH, QB		OR, WA
Helopicus		Pteronacrevini	
bogaloosa Stark & Ray	FL, GA, LA, MS,	· ·	
	SC	Pteronarcys biloba Newman	AL CT CA
nalatus (Frison)	AR, IN, KS, MI,	ontood Newman	AL, CT, GA, MA, ME, NC,
rickeri Stark	MO, OK		NH, NS, NY, PA,
subvarians (Banks)	TN CT FL VV		QB, SC, VA, WV
sureariuns (Danks)	CT, FL, KY. ME, NC, ON,	californica Newport	AK, AZ, BC, CA,
	PA, QB, SC, TN.		CO, ID, MT, NM,
	VA, WV		OR, UT, WA, WY
Hadamada		comstocki Smith	ME, NW, NY,
Hydroperla crosbyi (Needham & Claassen)	AR, IL, IN, KS,	1	PA, VA, WV
or osogi (Needinam & Cladssen)	MO, OK, TX	dorsata (Say)	AL, AB, AK, BC,
fugitans (Needham & Claassen)	AR, IL, IN, KS,		FL, IL, KS, KY,
J Commontal	TN, TX		LA, LB, MB, ME, MN, MS, MT,
phormidia Ray & Stark	FL, SC		NB, NY, OH, PA,
Isogenoides			QB, SC, SK, TN,
colubrinus (Hagen)	AB, AK, AZ, BC,		VA, WI, WV, WY
	CA, CO, ID,	pictetii Hagen	CT, IL, IN, KS,
	MB, MT, NT,		KY, MB, MN,
	SK, UT, WY, YK		MO, OH, PA.
doratus (Frison)	IA, MI, PA, QB	variation Davids	TN, WI
elongatus (Hagen)	AB, AZ, BC, CO,	princeps Banks	BC, CA, ID, NV,
	ID, MB, MT,		OR, UT
	NM, UT, WA,	proteus Newman	KY, MB, ME, NC,
frontalis (Newman)	WY LB, MB, ME,		NH, NY, PA, QB,
J. omato (i.e. wilall)	MI, MN, NF,	scotti Ricker	SC, VA, WV GA, NC, PA, SC,
	NY, QB, SK, WI	THE RELEASE	TN, VA
			.,

#### BIBLIOGRAPHY

- BAUMANN, R. W. 1973a. Studies on Utah stoneflies (Plecoptera). Great Basin Nat. 33: 91–108.
  - \_\_\_\_. 1973b. New Megaleuctra from the eastern United States Plecoptera: Leuctridae). Entomol. News 84: 247–250
  - \_\_. 1974. What is Alloperla imbecilla (Say)? Designation of a neotype, and a new Alloperla from eastern North America (Plecoptera: Chloroperlidae). Proc. Biol. Soc. Washington 87: 257–264.
  - \_. 1975. Revision of the stonedly family Nemouridae Plecoptera): a study of the world fauna at the generic level. Smithsonian Contrib. Zool. 211: 1–74.
  - \_\_\_\_. 1976. Amphinemura reinerti, a new stonelly from northern Mexico (Plecoptera: Nemouridae). Southwest. Nat. 20: 517–521.
  - 1976. An annotated review of the systematics of North American stoneflies (Plecoptera). Perla 2: 21–24.
- BAUMANN, R. W., A. R. GAUFIN, AND R. F. SURDICK. 1977. The stoneflies (Plecoptera) of the Rocky Mountains. Mem. Amer. Entomol. Soc. 31: 1–207.
- BAUMANN, R. W., AND G. Z. JACOBI. 1984. Two new species of stoneflies (Plecoptera) from New Mexico. Proc. Entomol. Soc. Washington 86: 147–154.
- BAUMANN, R. W., AND C. A. OLSON. 1984. Confirmation of the stonefly genus Anacroneuria (Plecoptera: Perlidae) from the nearctic region with the description of a new species from Arizona. Southwest. Nat. 29: 489—492.
- BAUMANN, R. W. AND A. L. SHELDON. 1984. Capnia hornigi, a new winter stonefly from the western Great Basin (Plecoptera: Capniidae). Pan-Pac. Entomol. 60: 30–32.
- BAUMANN, R. W., AND B. P. STARK. 1980. Hesperoperla hoguei, a new species of stonefly from California (Plecoptera: Perlidae). Great Basin Nat. 40: 63-67.
- BEDNARIK, A. F., AND W. P. McCafferty. 1977. A checklist of the stoneflies, or Plecoptera, of Indiana. Great Lakes Entomol. 10: 223–226.
- CANTON, S., J. CHADWICK, AND L. BRITTON 1981. New distributional record for *Taeniopteryx* from Colorado (Plecoptera: Taeniopterygidae). Entomol. News 92: 155–158.
- Cather, M. R., B. P. Stark, and A. R. Gaufin. 1975. Records of stoneflies (Plecoptera) from Nevada. Great Basin Nat. 35: 49–50.
- DONALD, D. B., AND R. S. ANDERSON. 1980. The lentic stoneflies (Plecoptera) from the continental divide region of southwestern Canada. Canadian Entomol. 112: 753–758.
- DOSDALL, L., AND D. M. LEMKUHL. 1979. Stoneflies (Plecoptera) of Saskatchewan. Quaest. Entomol. 15: 3–116.
- ELLIOTT, S. T. 1981. Records of Plecoptera (Insecta) from southeastern Alaska. Pan-Pac. Entomol. 57: 434-442.
- ELIS, R. J. 1975. Seasonal abundance and distribution of adult stoneflies of Sashin Creek, Baranof Island, southeastern Alaska. Pan-Pac. Entomol. 51: 23–30.

- FARMER, R. G., AND D. C. TARTER. 1976. Distribution of the superfamily Nemouroidea in West Virginia (Insecta: Plecoptera). Entomol. News 87: 17–24.
- FIELDS, W. C., Jr. 1977. A new Megaleuctra from California (Plecoptera: Leuctridae). Pan-Pac. Entomol. 53: 211–214.
- FLANNAGAN, J. F. 1978. The winter stoneflies Allocapnia granulata (Capniidae), Taemiopteryx nivalis and T. parvula (Taeniopterygidae) in southern Manitoba, Canadian Entomol. 110: 111–112.
- FLANNAGAN, J. F. AND D. G. COBB. 1983. New records of winter stonellies (Plecoptera) from Manitoba (Canada) with notes on their zoogeographical origins. Canadian Entomol. 115: 673–678.
- FLANNAGAN, P. M., AND J. F. FLANNAGAN. 1982. Present distribution and the post-glacial origin of the Ephemeroptera, Plecoptera and Trichoptera of Manitoba, Manitoba Dept. Nat. Res. Fish. Tech. Rep. 82: 1–79.
- FRIESEN, M. K., J. F. FLANNAGAN, AND D. G. COBB. 1984. Emergence of stonefiles (Plecoptera) from South Duck River and Cowan Creek in the Duck Mountain Region, Manitoba. Amer. Midl. Nat. 111: 69–80.
- FULLINGTON, K. E., AND K. W. STEWART. 1980. Nymphs of the stonedly genus Taeniopteryx (Plecoptera: Taeniopterygidae) of North America. J. Kansas Entomol. Soc. 53: 237–259.
  GAUFIN. A. R., AND W. E. RICKER. 1974. Additions and
- GAUFIN, A. R., AND W. E. RICKER. 1974. Additions and corrections to a list of Montana stoneflies. Entomol. News. 85: 285–288.
- GAUFIN, A. R., W. E. RICKER, M. MINER, P. MILAMAND R. A. HAYS. 1972. The stoneflies (Plecoptera) of Montana. Trans. Amer. Entomol. Soc. 98: 1–161.
- HARPER, P. P. 1971. Plecopteres nouveaux du Quebec (Insectes). Canadian Jour. Zool. 49: 685–690.
- 1984. Alloperla acadiana, new species (Plecoptera: Chloroperlidae) from New Brunswick (Canada). Rev. Entomol. Queb. 29: 83–85.
- HARPER, P. P., AND H. B. N. HYNES. 1971. The Leuctridae of eastern Canada (Insecta: Plecoptera). Canadian Jour. Zool. 49: 915–920.
- . 1971. The Capniidae of eastern Canada (Insecta: Plecoptera). Canadian Jour. Zool. 49: 921–940.
- HARPER, P. P., AND F. HARPER. 1983. Biogeographie et associations des Plecopteres D'Hiver du Quebec meridional (Plecoptera; Capniidae et Taeniopterygidae). Canadian Entomol. 115: 1465– 1476.
- Harper, P. P., and R. F. Kircher. 1978. A new Stonefly from West Virginia (Plecoptera: Chloroperlidae). Proc. Entomol. Soc. Washington 80: 403–406.
- HARPER, P. P., J. G. PILON, AND J. M. PERRON. 1975. Insectes aquatiques du nord du Quebec (Ephemeropteres, Odonates, Plecopteres et Trichopteres). Ann. Soc. Entomol. 20: 33-43.
- Harper, P. P., and D. Roy. 1975. *Utaperla gapesiana* sp. nov., le premier Plecoptere Paraperline de l'Est canadien. Canadian Jour. Zool. 53: 1185–1187.
- HARPER, P.P., AND R.C. WILDMAN. 1985. A new Paraleuctra (Plecoptera: Leuctridae) from the Cascade and Coast ranges. Canadian Jour. Zool. 63: 982–983.
- HILSENHOFF, W. L., AND S. J. BILLMYER, 1973. Perlodidae (Plecoptera) of Wisconsin. Great Lakes Entomol. 6: 1–14.

- HITCHCOCK, S. W. 1974. Guide to the insects of Connecticut. Part VII. The Plecoptera or stoneflies of Connecticut. State Geol. Nat. Hist. Surv. Connecticut 107: 1–262.
- HUGGINS, D. C. 1981. New state and distributional records for Kansas Plecoptera. Tech. Publ. State Biol. Surv. Kansas 10: 65–70.
- JACOBI, G. Z., AND R. W. BAUMANN. 1983. Winter stoneflies (Plecoptera) of New Mexico. Great Basin Nat. 43: 585–591.
- JAMES, A. M. 1972. The stoneflies (Plecoptera) of Alabama. Unpublished dissertation, Auburn University. 169 pp.
- . 1974. Four new species of stoneflies in North America (Plecoptera). Ann. Entomol. Soc. Amer. 67; 964–966.
- KIRCHNER, R. F. 1978. Plecoptera records from West Virginia. Entomol. News 89: 206.
- . 1980. A new *Allocapuia* from Virginia (Plecoptera: Capniidae). Entomol. News 91: 19–21.
- KIRCHNER, R. F., AND B. C. KONDRATIEFF. 1983. The nymph of Bolotoperla rossi (Frison) (Plecoptera: Taeniopterygidae: Brachypterinae). Jour. Kansas Entomol. Soc. 56: 411–414.
- KONDRATIEFF, B. C., AND R. F. KIRCHNER. 1982. Notes on the winter Stonefly genus Allocapnia (Plecoptera: Capniidae). Proc. Entomol. Soc. Washington 84: 240–244.
- \_\_\_\_\_. 1982. Taeniopteryx nelsoni, a new species of winter stonefly from Virginia (Plecoptera: Taeniopterygidae). J. Kansas Entomol. Soc. 55: 1–7.
- 1984. New Species of *Taeniopteryx* (Plecoptera: Taeniopterygidae) from South Carolina. Ann. Entomol. Soc. Amer. 77: 733–736.
- KONDRATIEFF, B. C., AND J. R. VOSHELL, JR. 1979. A checklist of the stoneflies (Plecoptera) of Virginia. Entomol. News 90: 241–246.
- ——. 1979. A new species of Diploperla (Plecoptera: Perlodidae) from Virginia. Ann. Entomol. Soc. Amer. 72: 451–453.
- 1982. The Perlodinae of Virginia, USA (Plecoptera; Perlodidae). Proc. Entomol. Soc. Washington 84: 761–774.
- LAGER, T. M., M. D. JOHNSON, S. N. WILLIAMS, AND J. L. MCCULLOCH. 1979. A preliminary report on the Plecoptera and Trichoptera of northeastern Minnesota. Great Lakes Entomol. 12: 109–114.
- LAKE, R. W. 1980. Distribution of the stoneflies (Plecoptera) of Delaware. Entomol. News 91: 43–48.
- MASTELLER, E. C. 1983. Emergence phenology of Plecoptera from Sixmile Creek, Eric County, Pennsylvania, USA. Aquat. Insects 5: 1–8.
- MINGO, T. M. 1983. An annotated checklist of the stoneflies (Plecoptera) of Maine. Entomol. News 94: 65–72.

- Mingo, T. M., and K. E. Gibbs. 1980. The aquatic insects of the Narraguagus River, Hancock and Washington counties, Maine. Univ. Maine Agric. Expt. Sta. Land Water Res. Cont. 63 pp.
- NELSON, C. H. 1976. A new species of *Isoperla* (Plecoptera: Perlodidae) from Tennessee. J. Kans. Entomol. Soc. 49: 212–214.
- 1979. Hansonoperla appalachia, a new genus and a new species of eastern nearctic Acroneuriini (Plecoptera: Perlidae), with a phenetic analysis of the genera of the tribe. Ann. Entomol. Soc. Amer. 72: 735–739.
- NELSON, C. H., AND B. C. KONDRATIEFF, 1980. Description of a new species of Alloperla (Plecoptera: Chloroperlidae) from Virginia. J. Kansas Entomol. Soc. 53: 801–804.
- Nelson, C. H., and B. C. Kondratieff. 1983. *Isoperla major*., a new species of eastern nearctic Isoperlinae (Plecoptera: Perlodidae). Ann. Entomol. Soc. Amer. 76: 270–273.
- NELSON, C. H. D. C. TARTER, AND M. L. LITTLE. 1977. Description of the adult male of Allonarcys comstocki (Smith) (Plecoptera: Pteronarcidae). Entomol. News 88: 33–36.
- NEVES, R. J. 1978. Seasonal succession and diversity of stoneflies (Plecoptera) in Factory Brook, Massachussets. J. New York Entomol. Soc. 86, 144–152.
- Newell, R. L., and G. W. Minshall. 1976. An annotated list of the aquatic insects of southeastern Idaho. Part I. Plecoptera. Great Basin Nat. 36: 501–504.
- RAY. D. H., AND B. P. STARK. 1981. The nearctic species of Hydroperla (Plecoptera: Perlodidae). Florida Entomol. 64: 385–395.
- RICKER, W. E., AND H. H. ROSS. 1975. Synopsis of the Brachypterinae (Insecta: Plecoptera: Taenioptery gidae). Canadian Jour. Zool. 53: 132–153.
- RICKER, W. E., AND G. G. E. SCUDDER. 1975. An annotated checklist of the Plecoptera (Insecta) of British Columbia. Svesis 8: 333–348.
- ROBERTSON. D. J. 1979. An annotated list of stoneflier (Plecoptera) from Penitentiary Glen, Lake County, Ohio. Great Lakes Entomol. 12: 225.
- SHELDON, A. L. 1979. Stonefly (Plecoptera) records fron the basin ranges of Nevada and Utah. Great Basin Nat. 39: 289–292.
- STARK, B. P. 1979. The stoneflies (Plecoptera) of Mississippi. J. Mississippi Acad. Sci. 24: 109–122.
- . 1983. A review of the genus Soliperla (Plecoptera Peltoperlidae). Great Basin Nat. 43: 30–44.
- ——. 1983. The Tallaperla maria complex of eastern North America (Plecoptera: Peltoperlidae). J. Kansas Entomol. Soc. 56; 398–410.
- 1984. Helopicus rickeri, a new stonefly from Tennessce (Plecoptera: Perlodidae). Entomol. News 95: 21–22.
- STARK, B. P., AND R. W. BAUMANN, 1978. New species of nearetic Neoperla (Plecoptera: Perlidae), with notes on the genus. Great Basin Nat. 38: 97–114.
- STARK, B. P., AND A. R. GAUFIN, 1974a. The species of *Calineuria* and *Doroneuria* (Plecoptera: Perlidae). Great Basin Nat. 34: 83–93.

- . 1974b. The genus *Diploperla* (Plecoptera: Perlodidae)). J. Kansas Entomol. Soc. 47; 433–436.
- \_\_\_\_. 1976a. The nearctic genera of Perlidae (Plecoptera). Misc. Pub. Entomol. Soc. Amer. 10:
  - \_\_\_. 1976b. The nearctic species of *Acroneuria*. J. Kansas Entomol. Soc. 49: 221–253.
  - \_\_\_\_. 1979. The stoneflies (Plecoptera) of Florida. Trans. Amer. Entomol. Soc. 104: 391–433.
- STARK, B. P., B. R. OBLAD, AND A.R. GAUFIN. 1973. An annotated list of the stoneflies (Plecoptera) of Colorado. Entomol. News 84: 269–277, 301–305.
- STARK, B. P., AND D. H. RAY. 1983. A revision of the genus Helopicus (Plecoptera: Perlodidae). Freshwat. Invertebr. Biol. 2: 16–27.
- STARK, B. P., AND K. W. STEWART. 1973a. Distribution of stoneflies (Plecoptera) in Oklahoma. J. Kansas Entomol. Soc. 46: 563–577.
- . 1973b. New species and descriptions of stoneflies (Plecoptera) from Oklahoma. Entomol. News 84: 192–197.
- . 1982a. Notes on *Perlinodes aurea* (Plecoptera: Perlodidae). Ann. Entomol. Soc. Amer. 75: 84–88.
- . 1985. Baumannella, a new Perlodine genus from California (Plecoptera: Perlodidae). Proc. Entomol. Soc. Washington 87: 740–745.
- STARK, B. P., K. W. STEWART, AND J. FEMINELLA. 1983. New records and descriptions of Alloperla (Plecoptera: Chloroperlidae) from the Ozark-Ouachita region. Entomol. News 94: 55–59.
- STARK, B. P., AND S. W. SZCZYTKO. 1976. The genus Beloneuria (Plecoptera: Perlidae). Ann. Entomol. Soc. Amer. 69: 1120–1124.

  - 1982. Egg morphology and phylogeny in Pteronarcyidae (Plecoptera). Ann. Entomol. Soc. Amer. 75: 519-529.
- STARK, B. P., T. A. WOLFF, AND A. R. GAUFIN. 1975. New records of stoneflies (Plecoptera) from New Mexico. Great Basin Nat. 35: 97–99.
- STEWART, K. W., R. W. BAUMANN, AND B.P. STARK. 1974. The distribution and past dispersal of southwestern United States Plecoptera. Trans. Amer. Entomol. Soc. 99: 507–546.
- STEWART, K. W., AND D. G. HUGGINS. 1977. Kansas Plecoptera. Tech. Publ. St. Biol. Surv. Kansas 4: 31-40.
- STEWART, K. W., AND J. A. STANGER. 1985a. The nymphs, and a new species of North American Settena Illies (Plecoptera: Perlodidae). Pan-Pac. Entomol. 61: 237–244.

- STEWART, K. W., AND B. P. STARK. 1984. Nymphs of North American Perlodinae genera (Plecoptera: Perlodidae). Great Basin Nat. 44: 373–415.
- STEWART, K. W., B. P. STARK, AND T.G. HUGGINS. 1976. The stoneflies (Plecoptera) of Louisiana. Great Basin Nat. 36: 366–384.
- STEWART, K. W., AND S. W. SZCZYTKO. 1974. A new species of *Taeniopteryx* from Texas (Plecoptera: Taeniopterygidae). J. Kansas Entomol. Soc. 47: 451–458.
- SURDICK, R. F. 1981. New nearctic Chloroperlidae (Plecoptera). Great Basin Nat. 41: 349–359.
- 1985. Nearctic genera of Chloroperlinae (Plecoptera: Chloroperlidae). Illinois Biol. Monog. 54: 1–146.
- SURDICK, R. F., AND M. R. CATHEB. 1975. The nymph of Utaperla sopladora (Plecoptera: Chloroperlidae). Entomol. News 86: 102–106.
- SURDICK, R. F., AND K. C. KIM. 1976. Stoneflies (Plecoptera) of Pennsylvania—a synopsis. Bull. Pennsylvania State Univ. Coll. Agr. 808: 9–73.
- SURDICK, R. F., AND B. P. STARK. 1980. Two new species of Chloroperlidae (Plecoptera) from Mississippi. Proc. Entomol. Soc. Washington 82: 69–73.
- Szczytko, S. W., and K. W. Stewart. 1976. Three new species of nearctic *Isoperla* (Plecoptera). Great Basin Nat. 36: 211–220.
  - \_\_\_\_\_. 1977. The stoneflies (Plecoptera) of Texas. Trans. Amer. Entomol. Soc. 103: 327–378.

- TARTER, D. C., D. A. ADKINS, AND C. V. COVELL, JR. 1984. A checklist of the stoneflies (Plecoptera) of Kentucky. Entomol. News 95: 113–116.
- Tarter, D. C., and R. F. Kirchner. 1980. List of stoneflies (Plecoptera) of West Virginia. Entomol. News 91: 49-53.
- TARTER, D. C., M. L. LITTLE, R. F. KIRCHNER, W. D. WATKINS, R. G. FARMER, AND D. STEELE. 1975. Distribution of pteronarcid stoneflies in West Virginia (Insects: Plecoptera). Proc. West Virginia Acad. Sci. 47: 79–85.
- TKAC, M. A., AND B. A. FOOTE 1978. Annotated list of stoneflies (Plecoptera) from Stebbins Gulch in northeastern Ohio. Great Lakes Entomol. 11: 139–142.
- UNZICKER, J. D., AND V. H. MCCASKILL. 1982. Plecoptera. In: Aquatic insects and oligochaetes of North and South Carolina. Midwest Aquatic Enterprises, Mahomet, Illinois. 837 pp.
- WHITE, D. 1974. The distribution of stoneflies (Insecta: Plecoptera) of the Salt River, Kentucky. Trans. Kentucky. Acad. Sci. 35: 17–23.
- ZWICK, P. 1984. Notes on the genus Agnetina (Phasganophora) (Plecoptera: Perlidae). Aquatic Insects 6: 71–79.4