

SUPPLEMENTARY MATERIAL 2. List of references used at the time of publication. A full list of up-to-date references is included with the data set on ScienceBase.

- ABELLA, S.R., AND J.D. SPRINGER. 2008. Canopy-tree influences along a soil parent material gradient in *Pinus ponderosa-Quercus gambelii* forests, northern Arizona. *Journal of the Torrey Botanical Society* 135:26–36.
- AL-OU DAT, M., AND M. QADIR. 2011. The halophytic flora of Syria. *International Center for Agricultural Research in the Dry Area*. Aleppo, Syria.
- ALCORTA, M., M.W. FIDELIBUS, K.L. STEENWERTH, AND A. SHRESTHA. 2011. Effect of vineyard row orientation on growth and phenology of glyphosate-resistant and glyphosate-susceptible horseweed (*Conyza canadensis*). *Weed Science* 59:55–60.
- ANDERSON, M.D. 2001. *Ephedra viridis*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2015, May 12].
- ANDERSON, M.D. 2004. *Ephedra nevadensis*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [].
- ANDERSON, M.D. 2005. *Artemisia ludoviciana*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/>
- ANDERSON, M.K. 2006. (a) Plant guide for western redbud (*Cercis orbiculata* Greene). USDA-NRCS National Plant Data Center, Plant Science Dept., University of California, Davis, CA.
- ANDERSON, M. 2006.(b) *Salix exigua*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, June 17].
- ANGERT, A.L., T.E. HUXMAN, G.A. BARRON-GAFFORD, K.L. GERST, AND D.L. VENABLE. 2007. Linking growth strategies to long-term population dynamics in a guild of desert annuals. *Journal of Ecology* 95:321–331.
- ANGERT, A.L., T.E. HUXMAN, P. CHESSON, AND D.L. VENABLE. 2009. Functional tradeoffs determine species coexistence via the storage effect. *Proceedings of the National Academy of Sciences* 106:11641–11645.
- ANONYMOUS. n.d. *Equisetum hymale* in Missouri Botanic Garden Gardening Help Plant Finder. <http://www.missouribotanicalgarden.org/PlantFinder/PlantFinderDetails.aspx?kempercode=c670> [2014, 8 Apr]
- ANONYMOUS. n.d. *Portulaca oleracea*. in Missouri Botanic Garden Gardening Help Plant Finder. <http://www.missouribotanicalgarden.org/PlantFinder/PlantFinderDetails.aspx?kempercode=c670> [2014, 8 Apr]
- ANONYMOUS. 2007. Low water use/drought tolerant plant list: Official regulatory list for the Arizona Department of Water Resources, Phoenix Active Management Area. Arizona Department of

Water Resources, Phoenix, AZ.

http://www.azwater.gov/azdwr/WaterManagement/AMAs/documents/LWU_Plants1.pdf

- BAKER, F.S., AND C.F. KORSTIAN. 1931. Suitability of brush lands in the Intermountain region for the growth of natural or planted western yellow pine forests. Tech. Bull. No. 256. Washington, DC: U.S. Department of Agriculture. 82 pp.
- BALDWIN, A.H., AND I.A. MENDELSSOHN. 1998. Effects of salinity and water level on coastal marshes: an experimental test of disturbance as a catalyst for vegetation change. *Aquatic Botany* 61:255–268.
- BALDWIN, B.G., S. BOYD, B. ERTTER, R. PATTERSON, T.J. ROSATTI, D.H. WILKEN (EDITORS). 2002 *The Jepson Desert Manual: Vascular Plant of Southeastern California*. University of California Press, Berkeley, Los Angeles, London.
- BALOK, C.A., AND R.S. HILAIRE. (2002). Drought responses among seven southwestern landscape tree taxa. *Journal of the American Society for Horticultural Science* 127:211–218.
- BANACH, K., A.M. BANACH, L.P. LAMERS, H. DE KROON, R.P. BENNICELLI, A.J. SMITS, AND E.J. VISSER. 2009. Differences in flooding tolerance between species from two wetland habitats with contrasting hydrology: implications for vegetation development in future floodwater retention areas. *Annals of Botany* 103:341–351.
- BANNAYAN, M., F. NADJAFI, M. AZIZI, L. TABRIZI, AND M. RASTGOO. 2008. Yield and seed quality of *Plantago ovata* and *Nigella sativa* under different irrigation treatments. *Industrial Crops and Products* 27:11–16.
- BARBER, S.C. 1982. Taxonomic studies in the *Verbena stricta* complex (Verbenaceae). *Systematic Botany* 7:433–456.
- BART, D., AND J.M. HARTMAN. 2000. Environmental determinants of *Phragmites australis* expansion in a New Jersey salt marsh: an experimental approach. *Oikos* 89:59–69.
- BEAUCHAMP, V.B., C. WALZ, AND P.B. SHAFROTH. 2009. Salinity tolerance and mycorrhizal responsiveness of native xeroriparian plants in semi-arid western USA. *Applied Soil Ecology* 43:175–184.
- BENDER, M.H., J.M. BASKIN, AND C.C. BASKIN. 2000. Age of maturity and life span in herbaceous, polycarpic perennials. *Botanical Review* 66:311–349.
- BOEGER, M., AND M. POULSON. 2003. Morphological adaptations and photosynthetic rates of amphibious *Veronica anagallis-aquatica* L. (Scrophulariaceae) under different flow regimes. *Aquatic Botany* 75:123–135.
- BORDERS, B.D. n.d. *Isocoma acradenia* (Greene) Greene var. *acradenia* Species Profile. CSU Stanislaus, Valley Flora Propagation Center, Tranquillity, CA.
<http://esrp.csustan.edu/projects/lrdp/vfpc/profiles/ISAC.pdf>
- BOWERS, J.E. 2002 Flowering patterns and reproductive ecology of *Mammillaria grahamii* (Cactaceae), a common, small cactus in the Sonoran Desert. *Madroño* 49:201–206.
- BOWERS, J.E., R.H. WEBB, AND R.J. RONDEAU. 1995. Longevity, recruitment and mortality of desert plants in Grand Canyon, Arizona, USA. *Journal of Vegetation Science* 6:551–564.

- BOWERS, J.E., R.H. WEBB, AND E.A. PIERSON. 1997. Succession of desert plants on debris flow terraces, Grand Canyon, Arizona, U.S.A. *Journal of Arid Environments* 36:67–86.
- BOWERS, J.E., R.M. TURNER, AND T.L. BURGESS. 2004. Temporal and spatial patterns in emergence and early survival of perennial plants in the Sonoran Desert. *Plant Ecology* 172:107–119.
- BREHME, C.S., W.I. BOARMAN, S.A. HATHAWAY, A. HERRING, L. LYREN, M. MENDELSON, K. PEASE, M. RAHN, C. ROCHESTER, D. STOKES, G. TURSCHAK, AND R.N. FISHER. 2009. Spatial and temporal patterns across an ecological boundary: Allochthonous effects of a young saltwater lake on a desert ecosystem. *Journal of Arid Environments* 73:811–820.
- BUSCH, D.E., AND S.D. SMITH. 1993. Effects of fire on water and salinity relations of riparian woody taxa. *Oecologia* 94:186–194.
- BURGOON, P.S., K.R. REDDY, AND T.A. DEBUSK. 1995. Performance of subsurface flow wetlands with batch-load and continuous-flow conditions. *Water Environment Research* 67:855–862.
- CALLAWAY, J.C., AND J.B. ZEDLER. 1997. Interactions between a salt marsh native perennial (*Salicornia virginica*) and an exotic annual (*Polypogon monspeliensis*) under varied salinity and hydroperiod. *Wetlands Ecology and Management* 5:179–194.
- CANADELL, J., R.B. JACKSON, J.R. EHLERINGER, H.A. MOONEY, O.E. SALA, AND E.D. SCHULZE. 1996. Maximum rooting depth of vegetation types at the global scale. *Oecologia* 108:583–595.
- CANNON, W.A. 1911. The root habits of desert plants. Vol. 131. Carnegie Institution of Washington.
- CAREY, J.H. 1994. (a) *Eleocharis rostellata*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, June 18].
- CAREY, J.H. 1994. (b) *Gutierrezia microcephala*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, March 24].
- CARMAN, J.G., AND D.D. BRISKE. 1985. Morphologic and allozymic variation between long-term grazed and non-grazed populations of the bunchgrass *Schizachyrium scoparium* var. *frequens*. *Oecologia* 66:332–337.
- CARRASCO, L., A. GATTINGER, A. FLIEBBACH, A. ROLDÁN, M. SCHLOTTER, AND F. CARAVACA. 2010. Estimation by PLFA of microbial community structure associated with the rhizosphere of *Lygeum spartum* and *Piptatherum miliaceum* growing in semiarid mine tailings. *Microbial Ecology* 60:265–271.
- CAVE, G.H., AND D.T. PATTEN. 1984. Short-term vegetation responses to fire in the upper Sonoran Desert. *Journal of Range Management* 37:491–496.
- CAVERS, P.B., AND J.L. HARPER. 1964. *Rumex obtusifolius* L. and *R. crispus* L. *Journal of Ecology* 52:737–766.
- CAVERS, P.B., I.J. BASSETT, C.W. CROMPTON. 1980. The Biology of Canadian Weeds: 47. *Plantago lanceolata* L. *Canadian Journal of Plant Science* 60:1269–1282.

- CHEN, H., R.G. QUALLS, AND G.C. MILLER. 2002. Adaptive responses of *Lepidium latifolium* to soil flooding: biomass allocation, adventitious rooting, aerenchyma formation and ethylene production. *Environmental and Experimental Botany* 48:119–128.
- CHOUDHURI, G.N. 1968. Effect of soil salinity on germination and survival of some steppe plants in Washington. *Ecology* 49:465–471.
- CLEMENTS, D.R., A. DITOMMASO, S.J. DARBYSHIRE, P.B. CAVERS, AND A.D. SARTONOV. 2004. The biology of Canadian weeds. 127. *Panicum capillare* L. *Canadian Journal of Plant Science* 84:327–341.
- CLEVERLY, J.R., S.D. SMITH, A. SALA, AND D.A. DEVITT. 1997. Invasive capacity of *Tamarix ramosissima* in a Mojave Desert floodplain: the role of drought. *Oecologia* 111:12–18.
- COMSTOCK, J., AND J. EHLERINGER. 1990. Effect of variations in leaf size on morphology and photosynthetic rate of twigs. *Functional Ecology* 4:209–221.
- CONESA, H.M., Á FAZ, AND R. ARNALDOS. 2006. Heavy metal accumulation and tolerance in plants from mine tailings of the semiarid Cartagena–La Unión mining district (SE Spain). *Science of the Total Environment* 366:1–11.
- COPE, T.A., AND C.A. STACE. 1978. The *Juncus bufonius* L. aggregate in western Europe. *Watsonia* 12:113–128.
- CRAINE, J.M., J. FROEHLE, D.G. TILMAN, D.A. WEDIN, AND F.S. CHAPIN, III. 2001. The relationships among root and leaf traits of 76 grassland species and relative abundance along fertility and disturbance gradients. *Oikos* 93:274–285.
- CRONQUIST, A., A.H. HOLMGREN, N.H. HOLMGREN, J.L. REVEAL, AND P.K. HOLMGREN. 1977. Intermountain flora. Vascular plants of the Intermountain West, USA Volume six. The monocotyledons. Columbia University Press, New York.
- CRONQUIST, A., A.H. HOLMGREN, N.H. HOLMGREN, J.L. REVEAL, AND P.K. HOLMGREN. 1994. Intermountain flora. Vascular plants of the Intermountain West, USA Volume five. Asterales. The New York Botanical Garden, NY.
- CUNNINGHAM, G., H. NEUFELD, Y. GOLDRING, AND M. ZERONI. 1988. Mechanisms of salt tolerance in plants relevant to closed system agriculture in desert environments. Technical Completion Report Project No. 1-4-23631. New Mexico Water Resources Research Institute, Las Cruces, NM.
- DAGAR, J.C., Y. KUMAR, AND O.S. TOMAR. 2006. Cultivation of medicinal isabgol (*Plantago ovata*) in alkali soils in semiarid regions of northern India. *Land Degradation and Development* 17:275–283.
- DAMHOUREYEH, S.A., AND D.C. HARTNETT. 2002. Variation in grazing tolerance among three tallgrass prairie plant species. *American Journal of Botany* 89:1634–1643.
- DEBEATS, S., J. POESEN, A. KNAPEN, G.G. BARBERA, AND J.A. NAVARRO. 2007. Root characteristics of representative Mediterranean plant species and their erosion-reducing potential during concentrated runoff. *Plant and Soil* 294:169–183.
- DEBOLT, A.M. 1992. The ecology of *Celtis reticulata* Torr. (netleaf hackberry) in Idaho. Corvallis, Oregon State University, Master's thesis. 167 pp.

- DKHILI, M., AND B. ANDERSON. 1990. Salt effects on seedling growth of switchgrass and big bluestem. In Proceedings of the Twelfth North American Prairie Conference. Cedar Falls, Iowa (pp. 5–9).
- DiTOMASO, J.M., AND E.A. HEALY. 2003. Aquatic and Riparian Weeds of the West. University of California Agriculture and Natural Resources, Oakland, CA.
- DONALDSON, S., AND D. RAFFERTY. 2011. Identification and management of puncturevine (*Tribulus terrestris* L.) Fact Sheet FS-0334. University of Nevada Cooperative Extension, Las Vegas, NV.
- EHLERINGER, J.R. 1988. Comparative ecophysiology of *Encelia farinosa* and *Encelia frutescens*. I. Energy balance considerations. *Oecologia* 76:553–561.
- EHLERINGER, J.R., AND T.A. COOPER. 1988. Correlations between carbon isotope ratio and microhabitat in desert plants. *Oecologia* 76:562–566.
- ELDERD, B.D. 2003. The impact of changing flow regimes on riparian vegetation and the riparian species *Mimulus guttatus*. *Ecological Applications* 13:1610–1625.
- ELLSWORTH, P.Z., AND D.G. WILLIAMS. 2007. Hydrogen isotope fractionation during water uptake by woody xerophytes. *Plant and Soil* 291:93–107.
- ELMORE, C.L., D.W. CUDNEY, AND M.E. MCGIFFIN JR. 2007. Plantains. Pest Notes: Publication 7478. University of California Agriculture and Natural Resources, Davis, CA.
- EPPLER, A.O. 1995. The field guide to the plants of Arizona. LewAnn Publishing Company, Mesa, AZ.
- EMMING, J. 2005. Nevadagascar? The threat that invasive weeds and wildfires pose to our North American desert biomes Part 1: The Mojave Desert and Joshua Tree woodlands. *Cactus and Succulent Journal* 77:302–312.
- ESSER, L.L. 1993. *Taraxacum officinale*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2015, May 18].
- ESSER, L.L. 1994. *Echinochloa crus-galli*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, March 24].
- ESSER, L.L. 1995. *Schoenoplectus acutus*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2015, May 15].
- EVANS, P.S. 1978. Plant root distribution and water use patterns of some pasture and crop species. *New Zealand Journal of Agricultural Research* 21:261–265.
- FAJER, E.D., M.D. BOWERS, AND F.A. BAZZAZ. 1991. Performance and allocation patterns of the perennial herb, *Plantago lanceolata*, in response to simulated herbivory and elevated CO₂ environments. *Oecologia* 87:37–42.
- FANELLI, G., AND M. DE LILLIS. 2004. Relative growth rate and hemerobiotic state in the assessment of disturbance gradients. *Applied Vegetation Science* 7:133–140.
- FAVORITE, J., AND M.K. ANDERSON. 2003. Plant guide for chairmaker's bulrush (*Schoenoplectus americanus*). USDA-Natural Resources Conservation Service, National Plant Data Center, Baton Rouge, LA.

- FELGER, R.S., S. RUTMAN, AND J. MALUSA. 2014. Ajo Peak to Tinajas Altas: A flora of southwestern Arizona. Part 6. Poaceae – grass family. *Phytoneuron* 35:1–139.
- FERNANDEZ, R.J., AND J.F. REYNOLDS. 1999. Potential growth and drought tolerance of eight desert grasses: lack of a trade-off? *Oecologia* 123:90–98.
- FLYNN, R., AND A.L. ULERY. 2011. An Introduction to Soil Salinity and Sodium Issues in New Mexico. NM State University, Cooperative Extension Service, College of Agricultural, Consumer and Environmental Sciences.
- FRANCIS, A., AND S.I. WARWICK. 2007. The biology of invasive alien plants in Canada. 8. *Lepidium latifolium* L. *Canadian Journal of Plant Science* 87:639–658.
- FREEMAN, J.L., AND G.S. BAÑUELOS. 2011. Selections of salt and boron tolerant selenium hyperaccumulator *Stanleya pinnata* genotypes and characterization of Se phytoremediation from agricultural drainage sediments. *Environmental Science and Technology* 45:9703–9710.
- FULBRIGHT, T.E., K.R. HICKMAN, AND D.G. HEWITT. 2013. Exotic grass invasion and wildlife abundance and diversity, South-Central United States. *Wildlife Society Bulletin* 37:503–509.
- FYNN, R.W.S., C.D. MORRIS, AND K.P. KIRKMAN. 2005. Plant strategies and trait trade-offs influence trends in competitive ability along gradients of soil fertility and disturbance. *Journal of Ecology* 93:384–394.
- GABEL, M.L. 2007. *Imperata*. In: Barkworth, M.E., L.K. Anderson, K.M. Capels, S. Long, and M.B. Piep (Eds). 2007. Manual of grasses for North America north of Mexico. Utah Stat University Press. 327 pp.
- GALLOWAY, L.A. 1975. Systematics of the North American desert species of *Abronia* and *Tripterocalyx* (Nyctaginaceae). *Brittonia* 27:328–347.
- GIBBENS, R.P., AND J.M. LENZ. 2001. Root systems of some Chihuahuan desert plants. *Journal of Arid Environments* 49:221–263.
- GILLHAM, M.E. 1957. Coastal vegetation of Mull and Iona in relation to salinity and soil reaction. *The Journal of Ecology* 45:757–778.
- GILMAN, E.F., AND D.G. WATSON. 1994 *Prosopis glandulosa* Mesquite Fact Sheet ST-502. Forest Service.
- GLEASON, R.A., B.A. TANGEN, M.K. LAUBHAN, R.G. FINOCCHIARO, AND J.F. STAMM. 2009. Literature review and database of relations between salinity and aquatic biota—applications to Bowdoin National Wildlife Refuge, Montana: U.S. Geological Survey Scientific Investigations Report 2009–5098, 76 p
- GLENN, E., AND J. BROWN. 1998. Effects of soil salt levels on the growth and water use efficiency of *Atriplex canescens* (Chenopodiaceae) varieties in drying soil. *American Journal of Botany* 85:10–10.
- GLENN, E.P., AND P.L. NAGLER. 2005. Comparative ecophysiology of *Tamarix ramosissima* and native trees in western U.S. riparian zones. *Journal of Arid Environments* 61:419–446.
- GLENN, E., T.L. THOMPSON, R. FRYE, J. RILEY, AND D. BAUMGARTNER. 1995. Effects of salinity on growth and evapotranspiration of *Typha domingensis* Pers. *Aquatic Botany* 52:75–91.

- GLENN, E., R. TANNER, S. MENDEZ, T. KEHRET, D. MOORE, J. GARCIA, AND C. VALDES. 1998. Growth rates, salt tolerance and water use characteristics of native and invasive riparian plants from the delta of the Colorado River delta, Mexico. *Journal of Arid Environments* 40:281–294
- GRANT, W.F. 2002. Seed size and seed weight in some *Lotus* (Fabaceae) species. *Seed Technology* 24:117–119.
- GRANTZ, D.A., A. SHRESTHA, AND H.B. VU. 2008. Early vigor and ozone response in horseweed (*Conyza canadensis*) biotypes differing in glyphosate resistance. *Weed science* 56:224–230.
- GREENWOOD, M.E., AND G.R. MACFARLANE. 2009. Effects of salinity on competitive interactions between two *Juncus* species. *Aquatic Botany* 90:23–29.
- GRIFFITH, R.S. 1991. *Panicum obtusum*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2015, May 18].
- GROEN, A.H. 2005. *Artemisia dracunculus*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2015, 28 April].
- GROTKOPP, E. AND M. REJMANEK. 2007. High seedling relative growth rate and specific leaf area are traits of invasive species: Phylogenetically independent contrasts of woody angiosperms. *American Journal of Botany* 94:526–532.
- GUCKER, C.L. 2008. *Typha latifolia*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2015, May 18].
- GUCKER, C.L. 2009. (a) *Eragrostis curvula*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, June 29].
- GUCKER, C.L. 2009. (b) *Melilotus alba*, *M. officinalis*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, July 6].
- GUCKER, C.L. 2011. *Bothriochloa barbinodis*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, June 25].
- GUGLIELMINI, A.C., AND E.H. SATORRE. 2002. Shading effects on spatial growth and biomass partitioning of *Cynodon dactylon*. *Weed Research* 42:123–134.
- GUTTERMAN, Y. 2003. The inhibitory effect of Negev Desert loess soil on the fast germinating caryopses of *Schismus arabicus* (Poaceae). *Journal of Arid Environments* 54: 619–631.
- HAGEN, R.H., AND J.F. CHABOT. 1986. Leaf anatomy of maples (*Acer*) and host use by Lepidoptera larvae. *Oikos* 47:335–345.
- HALOPHYTES: eHALOPH - Halophytes Database
<http://www.sussex.ac.uk/affiliates/halophytes/index.php>

- HALVORSON, W.L., AND P.G. GUERTIN. 2003. (a) USGS Weeds In the West project: Status of Introduced Plants in Southern Arizona Parks Factsheet for *Eragrostis cilianensis* (All.) Lut. ex Janchen. U.S. Geological Survey/Southwest Biological Science Center, Sonoran Desert Field Station, Tucson, AZ.
- HALVORSON, W.L., AND P.G. GUERTIN. 2003. (b) USGS Weeds In the West project: Status of Introduced Plants in Southern Arizona Parks Factsheet for *Eragrostis lehmanniana* Nees. U.S. Geological Survey/Southwest Biological Science Center, Sonoran Desert Field Station, Tucson, AZ.
- HALVORSON, W.L., AND P.G. GUERTIN. 2003. (c) USGS Weeds In the West project: Status of Introduced Plants in Southern Arizona Parks Factsheet for *Schimus arabicus* Nees. U.S. Geological Survey/Southwest Biological Science Center, Sonoran Desert Field Station, Tucson, AZ.
- HALVORSON, W.L., AND P.G. GUERTIN. 2003. (d) USGS Weeds In the West project: Status of Introduced Plants in Southern Arizona Parks Factsheet for *Xanthium strumarium* L. U.S. Geological Survey/Southwest Biological Science Center, Sonoran Desert Field Station, Tucson, AZ.
- HANDLEY, J., AND B. HEIDEL. 2008. *Carex emoryi* State Species Abstract. Wyoming Natural Diversity Database. http://www.uwyo.edu/wyndd/_files/docs/reports/speciesabstracts/carex_emoryi.pdf
- HAUSER, A.S. 2005. *Bouteloua barbata*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, March 24].
- HAUSER, A.S. 2006. (a) *Cercis orbiculata*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, March 24].
- HAUSER, A.S. 2006. (b) *Eleocharis palustris*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, June 18].
- HENSON, J., M. STEVENS, AND G. FENCHEL. 2006. Plant Guide for Fremont's Cottonwood (*Populus fremontii*). USDA NRCS National Plant Data Center, Baton Rouge, LA & New Mexico Plant Materials Center, Los Lunas, NM.
- HICKMAN, J.C. (EDITOR). 1993. The Jepson manual: vascular plants of California. University of California Press. Berkeley, CA.
- HOLMGREN, N.H., P.K. HOLMGREN, J.L. REVEAL, AND COLLABORATORS. 2012. Intermountain flora. Vascular plants of the Intermountain West, USA Volume two, part A. Subclasses Magnoliidae-Caryophyllidae. The New York Botanical Garden, New York.
- HORTON, J.S. 1957. Inflorescence development in *Tamarix pentandra* Pallas (Tamaricaceae). Southwestern Naturalist 2:135–139.
- HORTON, J.L., T.E. KOLB, AND S.C. HART. 2001. Leaf gas exchange characteristics differ among Sonoran Desert riparian tree species. Tree Physiology 21:233–241.
- HOWARD, J.L. 1992. (a) *Elymus trachycaulus*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2015, April 27].

- HOWARD, J.L. 1992. (b) *Erodium cicutarium*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, March 24].
- HOWARD, J.L. 1992. (c) *Salsola kali*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, March 24].
- HOWARD, J.L. 1994. *Bromus japonicus*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, June 25].
- HOWARD, J.L., 1997. *Aristida purpurea*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, March 18].
- HOWARD, J.L. 2006. *Vulpia octoflora*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2015, May 5].
- HUISINGA, K, L. MAKARICK, AND K. WATTERS. 2006. River and Desert Plants of the Grand Canyon. Mountain Press Publishing Company, Missoula, MT.
- HURD, E.G., S. GOODRICH, AND N.L. SHAW. 1994. Field guide to Intermountain rushes. Gen. Tech. Rep. INT-306. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station. 56 pp.
- HURTEAU, M.D. 2006. Plant Guide for Tarragon (*Artemisia dracunculus*). USDA, NRCS, National Plant Data Center, University of California, Davis, CA.
- HUTCHINSON, I. 1982. Vegetation-environment relations in a brackish marsh, Lulu Island, Richmond, BC. Canadian Journal of Botany 60:452–462.
- HUTCHINSON, I., J. COLOSI, AND R. LEWIN. 1984. The biology of Canadian weeds 63 *Sonchus asper* (L.) Hill and *S. oleraceus* L. Canadian Journal of Plant Science 64:731–744.
- HUXMAN, T.E., E.P. HAMERLYNCK, AND S.D. SMITH. 1999. Reproductive allocation and seed production in *Bromus madritensis* ssp. *rubens* at elevated atmospheric CO₂. Functional Ecology 13:769–777.
- IKEGAMI, M., D.F. WHIGHAM, AND M.J.A. WERGER. 2009. Ramet phenology and clonal architectures of the clonal sedge *Schoenoplectus americanus* (Pers.) Volk. ex Schinz & R. Keller. Plant Ecology 200:287–301.
- ISRAELSEN, K.R., C.V. RANSOM, AND B.L. WALDRON. 2011. Salinity tolerance of foxtail barley (*Hordeum jubatum*) and desirable pasture grasses. Weed Science 59:500–505.
- IZHAKI, I., N. HENIG-SEVER, AND G. NE'EMAN. 2001. Soil seed banks in Mediterranean Aleppo pine forests: the effect of heat, cover, and ash on seedling emergence. Journal of Ecology 88:667–675.
- JACKSON, L.E. 1995. Root architecture in cultivated and wild lettuce (*Lactuca* spp.). Plant, Cell & Environment 18:885–894.

- JACKSON, B.K., S. MAZEIKA, AND P. SULLIVAN. 2009. Influence of wildfire severity on riparian plant community heterogeneity in Idaho, USA wilderness. *Forest Ecology and Management* 259:24–32.
- JATIMLIANSKY, J.R., D.O. GIMENEZ, AND A. BUJAN. 1997. Herbage yield, tiller number and root system activity after defoliation of prairie grass (*Bromus catharticus* Vahl). *Grass and Forage Science* 52:52–62.
- JOHNSON, K.A. 2000. *Sporobolus airoides*. In: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, July 6].
- JOHNSON, W.C., L.E. JACKSON, O. OCHOA, R. VAN WIJK, J. PELEMAN, D.A. ST. CLAIR, AND R.W. MICHELMORE. 2000. Lettuce, a shallow-rooted crop, and *Lactuca serriola*, its wild progenitor, differ at QTL determining root architecture and deep soil water exploitation. *Theoretical and Applied Genetics* 101:1066–1073.
- JONES, V., AND P.W. RICHARDS. 1954. *Juncus acutus* L. *Journal of Ecology* 42:639–650.
- KENNEDY, R.A., S.C.H. BARRETT, D. VANDER ZEE, AND M.E. RUMPHO. 1980. Germination and seedling growth under anaerobic conditions in *Echinochloa crus-galli* (barnyard grass). *Plant, Cell and Environment* 3:243–248.
- KELLER, S. 1979. A revision of the genus *Wislizenia* (Capparidaceae) based on population studies. *Brittonia* 31:333–351.
- KEW ROYAL BOTANIC GARDENS. 2008. Seed information database (SID), version 7.1. <http://data.kew.org/sid/>.
- KILLINGBECK, K., AND W. WHITFORD. 2001. Nutrient resorption in shrubs growing by design, and by default in Chihuahuan Desert arroyos. *Oecologia* 128:351–359.
- KOLB, A., AND P. ALPERT. 2003. Effects of nitrogen and salinity on growth and competition between a native grass and an invasive congener. *Biological Invasions* 5:229–238.
- KNAPP, A.K., AND J.T. FAHNESTOCK. 1990. Influence of plant size on the carbon and water relations of *Cucurbita foetidissima* HBK. *Functional Ecology* 4:789–797.
- KNAPP, A.K., AND G.A. CARTER. 1998. Variability in leaf optical properties among 26 species from a broad range of habitats. *American Journal of Botany* 85:940–946.
- KNAPP, A.K., E.P. HAMERLYNCK, AND C.E. OWENSBY. 1993. Photosynthetic and water relations responses to elevated CO₂ in the C₄ grass *Andropogon gerardii*. *International Journal of Plant Sciences* 154:459–466.
- KNIGHT, C.A., AND D.D. ACKERLY. 2003. Evolution and plasticity of photosynthetic thermal tolerance, specific leaf area and leaf size: congeneric species from desert and coastal environments. *New Phytologist* 160:337–347.
- KUENZI, A.M., P.Z. FULÉ, AND C.H. SIEG. 2007. Effects of fire severity and pre-fire stand treatment on plant community recovery after a large wildfire. *Forest Ecology and Management* 255:855–865.

- KUSKE, C.R., L.O. TICKNOR, M.E. MILLER, J.M. DUNBAR, J.A. DAVIS, S.M. BARNS, AND J. BELNAP. 2002. Comparison of soil bacterial communities in rhizospheres of three plant species and the interspaces in an arid grassland. *Applied and Environmental Microbiology* 68:1854–1863.
- LANDRUM, L.R. 1995. Aceraceae. *J. Ariz.–Nevada Academy of Science* 29:2–3.
- LAUGHLIN, D.C., J.J. LEPPERT, M.M. MOORE, AND C.H. SIEG. 2010. A multi-trait test of the leaf-height-seed plant strategy scheme with 133 species from a pine forest flora. *Functional Ecology* 24:493–501.
- LEVANG-BRILZ, N., AND M.E. BIONDINI. 2003. Growth rate, root development and nutrient uptake of 55 plant species from the Great Plains Grasslands, USA. *Plant Ecology* 165:117–144.
- LICHVAR, R.W., M. BUTTERWICK, N.C. MELVIN, AND W.N. KIRCHNER. 2014. The National Wetland Plant List: 2014 Update of Wetland Ratings. *Phytoneuron* 41:1–42.
- LLOYD, P.S. 1971. Effects of fire on the chemical status of herbaceous communities of the Derbyshire Dales. *Journal of Ecology* 59:261–273.
- LOWRY, D.B., M.C. HALL, D.E. SALT, AND J.H. WILLIS. 2009. Genetic and physiological basis of adaptive salt tolerance divergence between coastal and inland *Mimulus guttatus*. *New Phytologist* 183:776–788.
- MAEGLIN, R.R., AND L.F. OHMANN. 1973. Boxelder (*Acer negundo*): a review and commentary. *Bulletin of the Torrey Botanical Club* 100:357–363.
- MANNING, S.J., AND D.P. GROENEVELD. 1990. Shrub rooting characteristics and water acquisition on xeric sites in the western Great Basin. *In*: McArthur, E. Durant; Romney, Evan M.; Smith, Stanley D.; Tueller, Paul T., compilers. Proceedings--symposium on cheatgrass invasion, shrub die-off, and other aspects of shrub biology and management; 1989 April 5–7; Las Vegas, NV. Gen. Tech. Rep. INT-276. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Research Station: 238–244. [12856]
- MARSHALL, K.A. 1995. *Larrea tridentata*. *In*: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, March 17].
- MATTHEWS, R.F. 2000. *Pleuraphis rigida*. *In*: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2015, May 14].
- MATTHEWS, R.F. 1994. *Lycium pallidum*. *In*: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, June 25].
- MCWILLIAMS, J. 2000. *Fallugia paradoxa*. *In*: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, June 29].
- MCWILLIAMS, J. 2004. *Arundo donax*. *In*: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2015, April 28].

- MAROSZ, A., AND J.S. NOWAK. 2008. Effect of salinity stress on growth and macroelements uptake of four tree species. *Dendrobiology* 59:23–29.
- MEYER, R. 2009. *Festuca thurberi*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, June 29].
- MEZIANE, D., AND B. SHIPLEY. 1999. Interacting components of interspecific relative growth rate: constancy and change under differing conditions of light and nutrient supply. *Functional Ecology* 13:611–622.
- MITCHEM, M.D., D.J. DOLLHOPF, J.W. BAUDER, AND B.E. OLSON. 2007. Response of grass species to soil salt content and soil moisture on lands developed for coalbed methane. 2007 National Meeting of the American Society of Mining and Reclamation, Gillette, WY, 30 Years of SMCRA and Beyond June 2–7, 2007. R.I. Barnhisel (Ed.) Published by ASMR, 3134 Montavesta Rd., Lexington, KY 40502. <http://www.asmr.us/Publications/Conference%20Proceedings/2007/0528-Mitchem-MT.pdf>
- MIYAMOTO, S., I. MARTINEZ, M. PADILLA, A. PORTILLO, AND D. ORNELAS. 2004. Landscape plant lists for salt tolerance assessment. USDI Bureau of Reclamation.
- MIYANISHI, K., AND P.B. CAVERS. 1980. The biology of Canadian weeds. 40. *Portulaca oleracea* L. *Canadian Journal of Plant Science* 60:953–963.
- MONK, C.D., AND F.C. GABRIELSON, JR. 1985. Effects of shade, litter and root competition on old-field vegetation in South Carolina. *Bulletin of the Torrey Botanical Club* 112:383–392.
- NAGEL, J.M., T.E. HUXMAN, K.L. GRIFFIN, AND S.D. SMITH. 2004. CO₂ enrichment reduces the energetic cost of biomass construction in an invasive desert grass. *Ecology* 85:100–106.
- NAVEH, Z. 2007. Fire in the Mediterranean—A Landscape Ecological Perspective In: Goldammer, JF, Jenkins MJ (Eds.) *Fire in Ecosystems Dynamics*. Proceedings of the Third International Symposium in Freiburg, FRG, May 1989. SPB Academic Publishing by, the Hague, the Netherlands, pp. 1–20. In *Transdisciplinary Challenges in Landscape Ecology and Restoration Ecology* (pp. 95–115). Springer Netherlands.
- NELLESSEN, J.E. SUAEDA SUFFRUTESCENS, S. WATS. Desert Seepweed. In: Francis, J.K. ed. *Wildland Shrubs of the United States and its Territories: Thamnisc Descriptions*, General Technical Report IITF-WB-1. U.S. Department of Agriculture, Forest Service, International Institute of Tropical Forestry, and Shrub Sciences Laboratory. http://www.fs.fed.us/global/iitf/wildland_shrubs.htm [2014, March 24].
- NEWMAN, S.D., AND M. GATES. 2006. Plant Guide for Bushy Beardgrass (*Andropogon glomeratus*). USDA-NRCS, National Plant Data Center, Baton Rouge, Louisiana.
- NIU, G., D.S. RODRIGUEZ, AND C. MCKENNEY. 2012. Response of selected wildflower species to saline water irrigation. *HortScience* 47:1351–1355.
- NOBEL, P.S. 1981. Spacing and transpiration of various sized clumps of a desert grass, *Hilaria rigida*. *The Journal of Ecology* 69:735–742.
- OGLE, D. 2006. Plant Fact Sheet for Slender Wheatgrass (*Elymus trachycaulus*). USDA-Natural Resources Conservation Service, National Plant Data Center, Baton Rouge, LA. http://plants.usda.gov/factsheet/pdf/fs_eltr7.pdf

- OGLE, D. 2008. Plant Guide for Big Sagebrush (*Artemisia tridentata*). USDA NRCS Idaho State Office, Boise, Idaho. http://plants.usda.gov/plantguide/pdf/pg_artr2.pdf
- PALÁEZ, D.V., C.A. BUSSO, O.R. ELIA, D.E. FRESNILLO FEDORENKO, AND O.A. FERNÁNDEZ. 1995. Demography and growth of *Medicago minima* and *Erodium cicutarium*: water stress effects. *Journal of Arid Environments* 30:75–81.
- PARKER, M.A., AND A.G. SALZMAN. 1985. Herbivore exclosure and competitor removal: effects on juvenile survivorship and growth in the shrub *Gutierrezia microcephala*. *Journal of Ecology* 73:903–913.
- PARMENTER, R.R. 2008. Long-term effects of a summer fire on desert grassland plant demographics in New Mexico. *Rangeland Ecology & Management* 61:156–168.
- PATAKI, D.E., S.E. BUSH, P. GARDNER, D.K. SOLOMON, AND J.R. EHLERINGER. 2005. Ecohydrology in a Colorado River riparian forest: implications for the decline of *Populus fremontii*. *Ecological Applications* 15:1009–1018.
- PECK, G.G. 1998. Hydroponic growth characteristics of *Arundo donax* L. under salt stress. In: Bell, Carl E., editors, *Arundo and saltcedar: the deadly duo: Proceedings of a workshop on combating the threat from arundo and saltcedar; 1998 June 17; Ontario, CA*. Holtville, CA: University of California, Cooperative Extension: 71. [47128]
- PONZIO, K. J., S.J. MILLER, AND M.A. LEE. 2004. Long-term effects of prescribed fire on *Cladium jamaicense* Crantz and *Typha domingensis* Pers. densities. *Wetlands Ecology and Management* 12:123–133.
- POORTER, H., AND C. REMKES. 1990. Leaf area ratio and net assimilation rate of 24 wild species differing in relative growth rate. *Oecologia* 83:553–559.
- POORTER, H., AND R.O.B. DE JONG. 1999. A comparison of specific leaf area, chemical composition and leaf construction costs of field plants from 15 habitats differing in productivity. *New Phytologist* 143:163–176.
- POSSELL, M., C. NICHOLAS HEWITT, AND D.J. BEERLING. 2005. The effects of glacial atmospheric CO₂ concentrations and climate on isoprene emissions by vascular plants. *Global Change Biology* 11:60–69.
- PRINCE, S.D., AND R.N. CARTER. 1985. The geographical distribution of prickly lettuce (*Lactuca serriola*): III. Its performance in transplant sites beyond its distribution limit in Britain. *Journal of Ecology* 73:49–64.
- RACHMILEVITCH, S., H. LAMBERS, AND B. HUANG. 2006. Root respiratory characteristics associated with plant adaptation to high soil temperature for geothermal and turf-type *Agrostis* species. *Journal of Experimental Botany* 57:623–631.
- RAMSAY, P.M., AND E.R.B. OXLEY. 1996. Fire temperatures and postfire plant community dynamics in Ecuadorian grass paramo. *Vegetatio* 124:129–144.
- READ, J.J., J.A. MORGAN, N.J. CHATTERTON, AND P.A. HARRISON. 1997. Gas exchange and carbohydrate and nitrogen concentrations in leaves of *Pascopyrum smithii* (C3) and *Bouteloua gracilis* (C4) at different carbon dioxide concentrations and temperatures. *Annals of Botany* 79:197–206.

- REED, W.R. 1993. *Salix gooddingii*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, June 18].
- REEVES, S.L. 2006. *Apocynum cannabinum*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, June 25].
- REICH, P.B., M.B. WALTERS, D.S. ELLSWORTH, J.M. VOSE, J.C. VOLIN, C. GRESHAM, AND W.D. BOWMAN. 1998. Relationships of leaf dark respiration to leaf nitrogen, specific leaf area and leaf life-span: a test across biomes and functional groups. *Oecologia* 114:471–482.
- REICH, P.B., C. BUSCHENA, M.G. TJOELKER, K. WRAGE, J. KNOPS, D. TILMAN, AND J.L. MACHADO. 2003. Variation in growth rate and ecophysiology among 34 grassland and savanna species under contrasting N supply: a test of functional group differences. *New Phytologist* 157:617–631.
- ROMINGER, J.M. 2007. SETARIA. IN: BARKWORTH, M.E., L.K. ANDERSON, K.M. CAPELS, S. LONG, AND M.B. PIEP (Editors). 2007. Manual of grasses for North America north of Mexico. Utah State University Press.
- ROSARIO, L.C. 1988. *Acer negundo*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2015, April 28].
- ROYAL BOTANIC GARDENS KEW. 2014. Seed Information Database (SID). Version 7.1. <http://data.kew.org/sid/> [May 2014]
- RYSER, P., AND S. WAHL. 2001. Interspecific variation in RGR and the underlying traits among 24 grass species grown in full daylight. *Plant Biology* 3:426–436.
- SALA, A., S.D. SMITH, AND D.A. DEVITT. 1996. Water use by *Tamarix ramosissima* and associated phreatophytes in a Mojave desert floodplain. *Ecological Applications* 6:888–898.
- SÁNCHEZ-FLORES, E. 2007. GARP modeling of natural and human factors affecting the potential distribution of the invasives *Schismus arabicus* and *Brassica tournefortii* in ‘El Pinacate y Gran Desierto de Altar’ Biosphere Reserve. *Ecological Modelling* 204:457–474.
- SCHÄDLER, M., G. JUNG, H. AUGÉ, AND R. BRANDL. 2003. Palatability, decomposition and insect herbivory: patterns in a successional old-field plant community. *Oikos* 103:121–132.
- SCHEINOST, P.L., J. SCIANNA, AND D.G. OGLE. 2010. Plant guide for rubber rabbitbrush (*Ericameria nauseosa*). USDA Natural Resources Conservation Service, Pullman Plant Materials Center, Pullman, WA.
- SEIBERT, A.C., AND R.B. PEARCE. 1993. Growth analysis of weed and crop species with reference to seed weight. *Weed Science* 41:52–56.
- SENOCK, R.S., D.L. DEVINE, W.B. SISSON, AND G.B. DONART. 1994. Ecophysiology of three C4 perennial grasses in the northern Chihuahuan Desert. *Southwestern Naturalist* 39:122–127.
- SHAFROTH, P.B., V.B. BEAUCHAMP, M.K. BRIGGS, K. LAIR, M.L. SCOTT, AND A.A. SHER. 2008. Planning riparian restoration in the context of *Tamarix* control in western North America. *Restoration Ecology* 16:97–112.

- SHARPE, P.J., AND A.H. BALDWIN. 2012. Tidal marsh plant community response to sea-level rise: a mesocosm study. *Aquatic Botany* 101:34–40.
- SHIPLEY, B. 2002. Trade-offs between net assimilation rate and specific leaf area in determining relative growth rate: relationship with daily irradiance. *Functional Ecology* 16:682–689.
- SHIPLEY, B., AND R.H. PETERS. 1990. A test of the Tilman model of plant strategies: relative growth rate and biomass partitioning. *American Naturalist* 136:139–153.
- SHIPLEY, B., AND M. PARENT. 1991. Germination responses of 64 wetland species in relation to seed size, minimum time to reproduction and seedling relative growth rate. *Functional Ecology* 5:111–118.
- SIMONIN, K.A. 2000. *Pleuraphis jamesii*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2016, August 1].
- SIMONIN, K.A. 2000. *Sporobolus cryptandrus*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2015, May 18].
- SIMONIN, K.A. 2001. *Elymus elymoides*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, June 29].
- SMITH, S.D., AND C.B. OSMOND. 1987. Stem photosynthesis in a desert ephemeral, *Eriogonum inflatum*: morphology, stomatal conductance and water-use efficiency in field populations. *Oecologia* 72:533–541.
- SPELLENBERG, R.W. 2004. *Boerhavia*. In: Flora of North America Editorial Committee, ed., *Flora of North America*--16+ vols., v. 4, Magnoliophyta--Caryophyllidae, part 1: New York, Oxford University Press. http://www.efloras.org/florataxon.aspx?flora_id=1&taxon_id=104164
- SPENCER, D.F., G.G. KSANDER, AND L.C. WHITEHAND. 2005. Spatial and temporal variation in RGR and leaf quality of a clonal riparian plant: *Arundo donax*. *Aquatic Botany* 81:27–36.
- SPRINGER, J.D., M.L. DANIELS, AND M. NAZAIRE. 2009. Field guide to forest and mountain plants of northern Arizona. Ecological Restoration Institute, Flagstaff, AZ.
- STEINBERG, P. 2001. *Prosopis glandulosa*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, March 14].
- ST. JOHN, L., D. TILLEY, AND D. GOODSON. 2012. Plant guide for Galleta (*Pleuraphis jamesii*) USDA-Natural Resources Conservation Service, Plant Materials Center, Aberdeen, ID.
- STELLA, J.C., AND J.J. BATTLES. 2010. How do riparian woody seedlings survive seasonal drought? *Oecologia* 164:579–590.
- STEVENS, L.E., AND G.L. WARING. 1985. Effects of prolonged flooding on riparian vegetation in Grand Canyon. Pages 81–86 in R.R. Johnson, C.D. Ziebell, D.F. Patten, P.F. Folliott, and R.H. Hamre, editors, *Riparian ecosystems and their management: reconciling conflicting uses*. U.S. Forest Service General Technical Report RM-120, Fort Collins, Colorado, USA.

- STEVENS, M., C. HOAG, D. TILLEY, AND L. ST. JOHN. 2012. (a) Plant Guide for mountain rush (*Juncus arcticus* Willd. ssp. *littoralis* (Englm.) Hulten). USDA-Natural Resources Conservation Service, Aberdeen Plant Materials Center. Aberdeen, Idaho.
- STEVENS, M., C. HOAG, D. TILLEY, AND L. ST. JOHN. 2012. (b) Plant Guide for common threesquare (*Schoenoplectus pungens*). USDA-Natural Resources Conservation Service, Aberdeen Plant Materials Center. Aberdeen, Idaho.
- STEVENS, M., AND C. HOAG. 2006. Plant Guide for Southern Cattail (*Typha domingensis*). USDA-Natural Resources Conservation Service, Aberdeen Plant Materials Center. Aberdeen, Idaho.
- STEWART-WADE, S.M., S. NEUMANN, L.L. COLLINS, AND G.J. BOLAND. 2002. The biology of Canadian weeds. 117. *Taraxacum officinale* GH Weber ex Wiggers. Canadian Journal of Plant Science 82:825–853.
- STROMBERG, J.C. 2013. Root patterns and hydrogeomorphic niches of riparian plants in the American Southwest. Journal of Arid Environments 94:1–9.
- STROMBERG, J.C., B.D. RICHTER, D.T. PATTEN, AND L.G. WOLDEN. 1993. Response of a Sonoran riparian forest to a 10-year return flood. Great Basin Naturalist 53:118–130.
- STROMBERG, J.C. 1997. Growth and survivorship of Fremont cottonwood, Gooding willow, and salt cedar seedlings after large floods in central Arizona. Western North American Naturalist 57:198–208.
- SULLIVAN, J. 1992. *Lolium perenne*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2015, May 13].
- SUNBERG, S.D., AND D.J. BOGLER. 2006. *Baccharis*. In: Flora of North America Editorial Committee, ed., Flora of North America--16+ vols., v. 20--Magnoliophyta--Asteridae (in part): Asteraceae, part 2: New York, Oxford University Press. http://www.efloras.org/florataxon.aspx?flora_id=1&taxon_id=103317.
- TAYLOR, J.L. 2000. *Populus fremontii*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2015, May 19].
- TESKY, J.L. 1992. *Hordeum jubatum*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, March 24].
- THOMAS, H., AND I.B. NORRIS. (1977). The growth responses of *Lolium perenne* to the weather during winter and spring at various altitudes in mid-Wales. Journal of Applied Ecology 14:949–964.
- TILLEY, D., AND L. ST. JOHN. 2013. Plant guide for purple needlegrass (*Aristida purpurea*). USDA-Natural Resources Conservation Service, Plant Materials Center, Aberdeen, Idaho 83210.
- TILLEY, D., D. OGLE, AND L. ST. JOHN. 2010. Plant guide for hoary tansyaster (*Machaeranthera canescens*). USDA-Natural Resources Conservation Service, Idaho Plant Materials Center. Aberdeen, ID.
- TIRMENSTEIN, D.A. 1990. *Celtis reticulata*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service,

- ROCKY MOUNTAIN RESEARCH STATION, FIRE SCIENCES LABORATORY (Producer).
<http://www.fs.fed.us/database/feis/> [2014, June 18]."
- TIRMENSTEIN, D. 1999 (a). *Artemisia tridentata* spp. *tridentata*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2015, April 28].
- TIRMENSTEIN, D. 1999. (b) *Chrysothamnus nauseosus*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2015, April 29].
- TIRMENSTEIN, D. 1999. (c) *Chrysothamnus viscidiflorus*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2015, April 29].
- TIRMENSTEIN, D. 1999. (d) *Gutierrezia sarothrae*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, July 2].
- TIRMENSTEIN, D. 1999. (e) *Pascopyrum smithii*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, July 6].
- TIRMENSTEIN, D. 1999. (f) *Quercus turbinella*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2015, May 4].
- TJOELKER, M.G., J.M. CRAINE, D. WEDIN, P.B. REICH, AND D. TILMAN. 2005. Linking leaf and root trait syndromes among 39 grassland and savannah species. *New Phytologist* 167:493–508.
- TRUSCOTT, A.M., C. SOULSBY, S.C.F. PALMER, L. NEWELL, AND P.E. HULME. 2006. The dispersal characteristics of the invasive plant *Mimulus guttatus* and the ecological significance of increased occurrence of high-flow events. *Journal of Ecology* 94:1080–1091.
- U.S. DEPARTMENT OF AGRICULTURE. 2010. The PLANTS database: U.S. Department of Agriculture National Resources Conservation Service, <http://plants.usda.gov>.
- UCHYTIL, R.J. 1988. *Andropogon gerardii*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, June 17].
- UCHYTIL, R.J. 1992. (a) *Eragrostis lehmanniana*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2015, May 12].
- UCHYTIL, R.J. 1992. (b) *Schoenoplectus americanus*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, March 24].
- UCHYTIL, R.J. 1992. (c) *Xanthium strumarium*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, March 20].

- UCHYTIL, R.J. 1993. *Poa pratensis*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, July 6].
- UNIVERSITY OF SUSSEX. 2015. eHaloph: Halophytes Database, version 3.07, <http://www.sussex.ac.uk/affiliates/halophytes/index.php>.
- UTRILLAS, M.J., AND L. ALEGRE. 1997. Impact of water stress on leaf anatomy and ultrastructure in *Cynodon dactylon* (L.) Pers. under natural conditions. *International Journal of Plant Sciences* 158:313–324.
- USDA NRCS PLANT MATERIALS PROGRAM. 2006. Plant Fact Sheet for Field Brome (*Bromus arvensis* L.). USDA NRCS Plant Materials Program, available at http://plants.usda.gov/factsheet/pdf/fs_brar5.pdf
- VAN HINSBERG, A., AND P. VAN TIENDEREN. 1997. Variation in growth form in relation to spectral light quality (red/far-red ratio) in *Plantago lanceolata* L. in sun and shade populations. *Oecologia* 111:452–459.
- VALONE, T.J., S.E. NORDELL, AND S.K. MORGAN ERNEST. 2002. Effects of fire and grazing on an arid grassland ecosystem. *Southwestern Naturalist* 47:557–565.
- VANDERSANDE, M.W., E.P. GLENN, AND J.L. WALWORTH. 2001. Tolerance of five riparian plants from the lower Colorado River to salinity drought and inundation. *Journal of Arid Environments* 49:147–159.
- VICKERY, JR., R.K. 1978. Case Studies in the Evolution of Species Complexes in *Mimulus*, in Hecht, M. K., W. C. Steere, B. Wallace, eds., *Evolutionary Biology*. Vol. 11:405–507, Springer US.
- WALLACE, A., E.M. ROMNEY, AND J.W. CHA. 1980. Depth distribution of roots of some perennial plants in the Nevada test site area of the northern Mojave Desert. *Great Basin Naturalist Memoirs* 4:201–207.
- WALSH, R.A. 1993. *Digitaria californica*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2015, May 11].
- WALSH, R.A. 1995. *Schedonorus arundinaceus*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, March 18].
- WASER, N.M., R.K. VICKERY JR, AND M.V. PRICE. 1982. Patterns of seed dispersal and population differentiation in *Mimulus guttatus*. *Evolution* 36:753–761.
- WATT, S.C.L., E. GARCIA-BERTHOU, AND L. VILAR. 2007. The influence of water level and salinity on plant assemblages of a seasonally flooded Mediterranean wetland. *Plant Ecology* 189:71–85.
- WEAVER, J.E. 1958. Summary and interpretation of underground development in natural grassland communities. *Ecological Monographs* 28:55–78.
- WEAVER, S.E., AND M.J. LECHOWICZ. 1983. The biology of Canadian weeds: 56. *Xanthium strumarium* L. *Canadian Journal of Plant Science* 63:211–225.

- WEAVER, S.E., AND M.P. DOWNS. 2003. The biology of Canadian weeds. 122. *Lactuca serriola* L. Canadian Journal of Plant Science 83:619–628.
- WEI, Z., AND C. SKARPE. 1995. Small-scale species dynamics in semi-arid steppe vegetation in Inner Mongolia. Journal of Vegetation Science 6:583–592.
- WELSH, S.L., N.D. ATWOOD, L.C. HIGGINS, AND S. GOODRICH. 1993. A Utah Flora. 2nd edition. Brigham Young University Press, Provo, Utah
- WEST, C.P., E. IZEKOR, D.M. OOSTERHUIS, AND R.T. ROBBINS. 1988. The effect of *Acremonium coenophialum* on the growth and nematode infestation of tall fescue. Plant and Soil 112:3–6.
- WHITFIELD, C.P., A.W. DAVISON, AND T.W. ASHENDEN. 1996. Interactive effects of ozone and soil volume on *Plantago major*. New Phytologist 134:287–294.
- WILLIAMS, K., M.V. MEADS, AND D.A. SAUERBREY. 1998. The roles of seedling salt tolerance and resprouting in forest zonation on the west coast of Florida, USA. American Journal of Botany 85:1745–1752.
- WIEDERHOLT, R.J., AND D.E. STOLTENBERG. 1996. Similar fitness between large crabgrass (*Digitaria sanguinalis*) accessions resistant or susceptible to acetyl-coenzyme A carboxylase inhibitors. Weed Technology 10:42–49.
- WILDOVÁ, R., L. GOUGH, T. HERBEN, C. HERSHOCK, AND D.E. GOLDBERG. 2007. Architectural and growth traits differ in effects on performance of clonal plants: an analysis using a field-parameterized simulation model. Oikos 116:836–852.
- WU, C.A., D.B. LOWRY, L.I. NUTTER, AND J.H. WILLIS. 2010. Natural variation for drought-response traits in the *Mimulus guttatus* species complex. Oecologia 162:23–33.
- YAZICI, I., I. TÜRKAN, A.H. SEKMEN, AND T. DEMIRAL. 2007. Salinity tolerance of purslane (*Portulaca oleracea* L.) is achieved by enhanced antioxidative system, lower level of lipid peroxidation and proline accumulation. Environmental and Experimental Botany, 61:49–57.
- YOSHIE, F. 1986. Intercellular CO₂ concentration and water-use efficiency of temperate plants with different life-forms and from different microhabitats. Oecologia 68:370–374.
- YOUNG, J.A., C.E. TURNER, AND L.F. JAMES. 1995. Perennial pepperweed. Rangelands Archives 17:121–123.
- ZIMMERMAN, A.D., AND B.D. PARFITT. 2004. *Mammillaria grahamii*. In: Flora of North America Editorial Committee, eds. 1993+. Flora of North America North of Mexico. 16+ vols. New York and Oxford. Vol. 4.
- ZLATNIK, E. 1999. *Hesperostipa comata*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2015, May 12].
- ZOLLINGER, N., R. KOENIG, T. CERNY-KOENIG, AND R. KJELGREN. 2007. Relative salinity tolerance of intermountain western United States native herbaceous perennials. HortScience 42:29–534.
- ZOUHAR, K. 2003. (a) *Bromus tectorum*. In: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, March 24].

ZOUHAR, K. 2003. (b) *Tamarix* spp. *In*: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, March 13].

ZOUHAR, K. 2004. *Lepidium latifolium*. *In*: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2014, March 24].

ZOUHAR, K. 2005. *Elaeagnus angustifolia*. *In*: Fire Effects Information System, [Online]. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory (Producer). <http://www.fs.fed.us/database/feis/> [2015, May 11].